



# ViroDecs™ Special

*Holcim Australia Ready-Mix Concrete*

*Victoria – ECOPact Range*

*Environmental Product Declaration*

In accordance with ISO 14025 and EN 15804+A2:2019

Programme: The International EPD® System | [www.environdec.com](http://www.environdec.com)

Programme operator: EPD International AB

Regional Programme: EPD Australasia | [www.epd-australasia.com](http://www.epd-australasia.com)

Managed by: Holcim Certified EPD Process

EPD Process Certificate No.04

Verified Accreditation Body: Epsten Group, Inc.

EPD Registration No. S-P-04657

Valid from 12 January 2022 | 12 January 2027

Revision Date: 24 April 2024

Version Number: 5.0

Geographical Scope: Australia



# Table of Contents

Introduction .....	3
About Holcim.....	4
ViroDecs™ Special – a first for ready-mix concrete in Australia .....	5
ViroDecs™ Special at a glance.....	5
Ready-mix concrete .....	6
LCA Information .....	7
EPD Product Description and Use .....	11
Environmental Performance.....	15
Other life cycle stages not included in this EPD.....	34
References.....	35
Programme-related information and verification .....	36

Version Number	Reversion Date	Description of Changes
5.0	24 April 2024	Additional mixes added.

# Introduction


All around the world, the expectation for Governments and organisations to provide enhanced transparency and disclosure of environmental impacts, such as greenhouse gas (GHG) emissions, has been growing. This follows the landmark COP 21 Paris Agreement in 2015 in which all nations agreed to ambitiously pursue efforts to combat climate change and its effects.

At the same time, the global demand for construction materials is also growing due to worldwide population growth and an increase in urbanisation. In fact, concrete is the second most used commodity in the world behind water, and typically a major contributor to the embodied GHG emissions of an infrastructure or property asset.


This clearly demonstrates both the essential need for construction materials now and in the future, as well as the necessity for the construction materials industry to be a leading part of the solution addressing climate change.

At Holcim, we recognise our responsibility to contribute to global emissions reduction targets and we have developed a roadmap with a number of actions to direct our efforts.

Our ViroDecs™ range of ready-mix concrete represented by an Environmental Product Declaration (EPD) is one such initiative for Holcim in Australia.



# About Holcim



## About Holcim

Holcim Australia is a leading supplier of construction materials in Australia, dating back to 1901. Today Holcim continues to supply essential construction materials including aggregates, sand, ready-mix concrete, engineered precast concrete and prestressed concrete solutions to a range of customers and projects throughout Australia.

Holcim operates right across the Australian continent supplying concrete from a network of concrete plants, quarries, precast and concrete pipe places, and mobile and on-site project facilities.

Sustainability is at the core of our strategy, with our industry's first 2050 net-zero targets, endorsed by the Science Based Targets initiative (SBTi).

Globally, Holcim is 70,000 people around the world who are passionate about building progress for people and the planet through four business segments: Cement, Ready-Mix Concrete, Aggregates and Solutions & Products.

Holcim builds progress for people and the planet. As a global leader in innovative and sustainable building solutions, Holcim is enabling greener cities, smarter infrastructure and improving living standards around the world. With sustainability at the core of its strategy Holcim is becoming a net zero company, with its people and communities at the heart of its success. The company is driving circular construction as a world leader in recycling to build more with less.

# ViroDecs™ Special – a first for ready-mix concrete in Australia

## ViroDecs™ Special at a glance


The Holcim ViroDecs™ Special provides project-specific, on-demand Environmental Product Declarations (EPDs) to Holcim's customers. This capability represents a significant step in Holcim's sustainability journey and embodies our multi-disciplinary approach to embedding sustainability into our organisation and operations. With the introduction of our ViroDecs™ Special, third-party verified data will underpin our capability to work with our customers from tender through to design and construction to optimise ready-mix concrete mix designs and report on sustainability performance.

The publication of the original ViroDecs™ EPD in 2019 introduced quality, third-party verified embodied life cycle impact data for ready-mix concrete into the Australian market for the first time. Holcim has been pleased by the positive response from the industry. The message was loud and clear: "we want transparency and we want an evidence-based approach to specification, procurement and reporting". With the introduction of our ViroDecs™ Special, Holcim's customers can now specify concrete sustainability performance in terms of CO<sub>2</sub>-e, with the confidence that our claims are backed by our third-party verified EPD Process Certification.


Holcim ViroDecs™ Special is backed by an EPD Process Certification. It's not only a first for concrete but a first for any product in Australia. Our EPD Process Certification is a stamp of approval to produce compliant EPDs in-house, opening up significant capability and flexibility in producing and using life cycle impact data to inform our operations and our customers.

To gain our EPD Process Certification, Holcim invested in embedding Life Cycle Assessment (LCA) into our systems and processes. We have satisfied a rigorous, third-party evaluation in accordance with the relevant ISO standards and guidelines of the International EPD Programme and EPD Australasia.

This EPD has been developed using our EPD Process Certification for Victoria ECOPact range with production occurring at Holcim Victorian sites.



# Ready-mix concrete



## Summary of properties and classes

Concrete is prepared by mixing cement, coarse and fine aggregates, and water, with or without the addition of auxiliary agents and additives. The fresh concrete is placed on the building site or prefabricated in factory moulds, compacted and hardened in the desired shape by the hydration of cement to form concrete.

General Australian Standard AS 1379 sets down a number of different ways of specifying and ordering concrete to promote uniformity, efficiency and economy in production and delivery. It refers to two classes of concrete: normal-class and special-class.

- **Normal-class** – designed for residential applications, low rise buildings, paving and driveways etc. Its specification and ordering have been simplified as far as practicable.
- **Special-class** – allows the purchaser to incorporate into the project specification any special requirements for the project. Special-class concrete is typically supplied to major and high-end construction projects from high rise buildings, dams and spillways, roads and bridges to public works infrastructure etc. Special-class concrete is typically specified in accordance with the technical parameters and performance requirements, which can include high-strength/high-performances concrete, high durability or marine application, post-tensioned, high-pumpability, super workable, piling concrete, architectural off-form finishes and other decorative applications.

# LCA Information

## Declared Unit

1 m<sup>3</sup> of ready-mix concrete.

## Reference Service Life (RSL)

The RSL is not specified as the scope is from cradle to gate.

## Time Representativeness

The plant data for the LCA is based on 2017 calendar year production data. The mix data for the LCA is based on 2024 calendar year production data.

## Databases and LCA Software Used

SimaPro® LCA software (v 9.1) was used for the LCA modelling which developed the LCA Calculator, used as per the certified EPD Process. It uses background data from:

1. The Australian National Life Cycle Inventory Database (AusLCI) (2018)
2. Ecoinvent 3.6 (2019)
3. Global Cement and Concrete (GCCA) EPD Tool Project Database version 3.1 (International Version) (2021); and
4. Product specific EPDs for pigments and fibres.

The environmental impacts modelled from the existing EPDs do not include impacts for the additional Green Star (v1.2) impact categories included in the environmental impact tables. The following impact categories were calculated manually for the foreground data:

- Use of renewable primary energy resources used as raw materials
- Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials
- Use of secondary material
- Use of renewable secondary fuels
- Use of non-renewable secondary fuels

## Allocation

Allocation was necessary to proportion inputs and outputs to intermediate flows at the quarry and processes at the batching plant level.

As much as possible, intermediate flows were allocated physically based on weight (quarries) or based on m<sup>2</sup> of concrete (at the batching plant). At the quarry level, whenever physical allocation was not possible, economic allocation was carried out based on Holcim's internal cost system.

Regarding inputs, it was assumed that fly ash and silica fumes are waste products and therefore burden-free. Ground granulated blast furnace slag from steel blast furnace production was allocated economically. Please refer to the "Recycled Material" section for further detail.

## Cut-Off Criteria

No flows were excluded on the basis of cut-off criteria.

## Address and Contact Information

Holcim (Australia) Pty Ltd  
 Level 7, 799 Pacific Highway, Chatswood  
 NSW 2067, Australia  
 Web: [www.holcim.com.au](http://www.holcim.com.au)  
 Phone: +61 2 9412 6600

## Data Quality

Data quality for the foreground data was assessed in terms of geographic and temporal representativeness. All data sources were scored medium or higher.


Module	Input/outputs	Sub-processes	Data source	Temporal scope	Geographic scope	Quality
A1	Coarse aggregate Manufactured sand Fine aggregate	Electricity	Electricity provider invoices	2017	All states	High
		Diesel	Supplier invoices	2017	All states	High
		Pollutants	National Pollution Inventory (NPI) data	2017	All states	High
		Mains water	Water utility invoices	2017	All states barring NSW	Medium
		Water – other sources (lakes, groundwater, rainwater)	Metered withdrawal data	2017	All states barring NSW	Medium
		Water discharge from site	Measured site data	2017	All states barring NSW	Medium
		Explosives (Manufactured sand and Coarse aggregate only)	Invoices	2017	All states (excluding the Kalgoorlie Quarry in WA which purchases raw feed from an external source)	High
		Gravel	Calculated – spoil + production amount	2017	All states	High
		Spoil	Holcim waste records	2017	All states	High
A2	Aggregate transport	Background data used to model	Actual transport distances and loads per trip	2017	All states (excluding Lynwood Quarry which transports by freight rail)	High
A3	Concrete batching plant	Electricity	Electricity provider invoices	2017	All states	High
		Diesel	Supplier invoices	2017	All states	High
		Mains water	Water metres, with utility invoices as a back-up	2017	All states	High
		Water – other sources (lakes, groundwater, rainwater)	Estimate based on water balance	2017	All states	Medium
		Water discharge from site	Estimate based on Holcim site performance metrics	2017	All states	Medium
		Lubricating oil Conveyor belt	AusLCI concrete process	2015	National	Medium
	Concrete mix designs	Background data used to model	Holcim internal technical database containing mix designs	2017	All states	High
Packaging waste	Background data used to model	Estimate based on researched packaging material and sizes	N/A	N/A	Medium	

Background data sources were also assessed with respect to their timeliness, with all data sources being updated within the 10 years required under PCR 2019:14 version 1.11.



# System Diagram

The processes included in the LCA are presented in a process diagram in the figure below.



## Description of System Boundaries and Excluded Lifecycle Stages

The scope of the LCA and EPD is from cradle to gate. Life cycle stages beyond Holcim's gate are excluded from the LCA (see figure below).

Environmental impacts relating to personnel, infrastructure and production equipment not directly consumed in the process are excluded from the system boundary as per the Product Category Rules (2019:14 Construction Production version 1.11).

Product Stage			Construction Stage		Use Stage							End of Life Stage				Benefits & loads for the next product system
Raw Material Supply	Transport	Manufacturing	Transport	Construction/installation process	Use	Maintenance incl. transport	Repair incl. transport	Replacement incl. transport	Refurbishment incl. transport	Operational Energy Use	Operational Water Use	De-construction & demolition	Transport	Re-use recycling	Final Disposal	Reuse, Recovery Recycling potential
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
X	X	X	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND

\*Module not declared (MND)

# EPD Product Description and Use

## ViroDecs™ Ready-mix concrete [Victoria – ECOPact Range]

A detailed breakdown of the functional properties of the ready-mix concrete included in this EPD are provided below. Product environmental information should only be compared with consideration of the product's requisite function.

Strength (MPa)	Mix code	Description of use	Strength (MPa)	Mix code	Description of use
32	BE324XN	32MPa 14mm NEPEAN EXPOSED ECOPact CONC	40	VE402ESW7	S40 20mm650+-100SPD 70%SCM ECOPact CONC
40	VE401EVMW	S40 10mm VR400 650 SPREAD ECOPact CONC	50	VE502ESW7	S50 20mm650+-100SPD 70%SCM ECOPact CONC
50	VE501EVMW	S50 10mm VR400 650SPREAD ECOPact CONC	40	VE401E / BE401E	S40 10mm 100SL ECOPact CONC
55	VE552EVR3	S55 20mm VR400 150SL ECOPact CONC	40	VE401E56	S40@56D 10mm 100SL ECOPact CONC
20	VE202E / BE202E / VZ202E / BZ202E	S20 MPa 20mm 100SL ECOPact CONC	50	VE504EWC	S50 14mmSWORK 650+-100SPRD ECOPact CONC
20	VE202E56	S20 @56D 20mm 100SL ECOPact CONC	65	VE654EWC	S65 14mmSWORK 650+-100SPRD ECOPact CONC
20	VE202EF2	S20 20mm 120SL ECOPact FIBRE CONC	40	VE401EVBW	S40 10VR400 650+-100 BAUER ECOPact CONC
25	VE251EKC / VE257EKC / VZ251EKC	S25 10mm KERB & CHANNEL ECOPact CONC	50	VE501EVBW	S50 10VR400 650+-100 BAUER ECOPact CONC
25	VE252E / BE252E / VZ252E / BZ252E	S25 MPa 20mm 100SL ECOPact CONC	40	VE401VWCH	S40 10mm 650SP 70%SCM ECOPact VR400 CONC
25	VE252E56	S25@56D 20mm 100SL ECOPact CONC	50	VE501VWCH	S50 10mm650SP 70%SCM ECOPact VR400 CONC
25	VE252EF2	S25 20mm 120SL ECOPact FIBRE CONC	50	VE502EVR5	S50 20mm VR450 200SL ECOPact CONC
32	VE321EKC / VE327EKC	S32 10mm KERB & CHANNEL ECOPact CONC	65	VE652E5	S65 20mm 200SL ECOPact CONC
32	VE322E / BE322E / VZ322E / BZ322E / VE324E	S32 MPa 20mm 100SL ECOPact CONC	65	VE651EWC	S65 10mmSWORK 650+-100SPRD ECOPact CONC
32	VE322E56	S32@56D 20mm 100SL ECOPact CONC	50	VE501E	S50 MPa 10mm 100SL ECOPact CONC
32	VE322EF2	S32 20mm 120SL ECOPact FIBRE CONC	40	VE402EPT1 / VE402APT1	S40 MPa 20mm100SL 22@3D ECOPact/Active PT CONC
32	VE322P	S32 20mm 150SL ECOPact CONC	40	VE402EPT2 / VE402APT2	S40 MPa 20mm120SL 22@3D ECOPact/Active PT CONC
40	VE401EAP	S40 10mm 680SPREAD PRCST ECOPact CONC	40	VE402EPT3 / VE402APT3	S40 MPa 20mm150SL 22@3D ECOPact/Active PT CONC
32	VE322EH2	ECOPact S32 20mm 120SL HIGH SCM CONC	20	VE202E3 / VZ202E3	S20 MPa 20mm 150SL ECOPact CONC
40	VE402E / BE402E / VZ402E / BZ402E / VE404E	S40 MPa 20mm 100SL ECOPact CONC	32	VE321EAV / VZ321EAV / BE321EAV	S32 10mm 680SPREAD VERT ECOPact CONC
40	VE402E56	S40@56D 20mm 100SL ECOPact CONC	55	VE552VRF3	S55 20mm VR470 150SL ENVIRO FIBRE CONC
50	VE501EAP	S50 10mm 680SPREAD ECOPact PRCST CONC	40	VE404AV56	S40 14mm @56D 680SPRD ECOPact SCC CONCRE
25	VE251E56 / VZ251E56	S25@56D 10mm 100SL ECOPact CONC	65	VE652ESW	S65 20mm SWC 650+-100SPRD ECOPact CONC
50	VE502E / VZ502E / VE502E2	S50 MPa 20mm 100SL ECOPact CONC	80	VE802ESW	S80 20mm SWC 650+-100SPRD ECOPact CONC
50	VE502E56	S50@56D 20mm 100SL ECOPact CONC	50	VE502VRA5	S50 20mm 200SL ECOPactActive VR450 CONC

Strength (MPa)	Mix code	Description of use	Strength (MPa)	Mix code	Description of use
65	VE651EAV / VE654EAV / VE652EAV	S65 10mm / 14mm 680SPREAD VERT ECOPact CONC	40	VE402EAP5	S40 20mm 200SL ECOPactActive CONCRETE
80	VE801EAV / VE804EAV / VE802EAV	S80 10mm / 14mm 680SPREAD VERT ECOPact CONC	50	VE502EAP5	S50 20mm 200SL ECOPactActive CONCRETE
40	VE402EVR2 / BE402EV2	S40 20mm VR400 120SL ECOPact CONC	50	VE504AVPW	ECOPactActive S50 14mm VR450 650SP CONC
50	VE502EVR2	S50 20mm VR400 120SL ECOPact CONC	50	VE502AVL2	ECOPactActive S50 20mm 120SL VR450 CONC
40	VE402EAP / VZ402EAP	S40 20mm 680SPREAD PRECAST ECOPact CONC	55	VE554AVFW	S55 14mm650SP VR FIB ECOPactActive CONC
40	VE401EAV / VE404EAV / VZ404EAV / BE401EAV / BZ401EAV / VE402EAV	S40 10mm / 14mm 680SPREAD VERT ECOPact CONC	65	VE654ABPW	S65 14mm 650SPREAD ECOPactActive CONC
50	VE501EAV / VE504EAV / BE501EAV / VE502EAV / VE504EAVX	S50 10mm / 14mm 680SPREAD VERT ECOPact CONC	40	VE402ESWC / VE402ESW	S40 20mm 650SPREAD ECOPact SWC CONC
55	VE552EVR3	S55 20mm VR400 150SL ECOPact CONC	50	VE502ESWC / VE502ESW	S50 20mm 650SPREAD ECOPact SWC CONC
32	VE322E5 / VZ322E5	S32 20mm 200SL ECOPact CONC	40	VE402VWCH / VE402VWH4	S40 20mm650SP 70%SCM ECOPACT VR400 CONC
40	VE402E5 / VZ402E5	S40 20mm 200SL ECOPact CONC	50	VE502VWCH / VE502VWH4 / VE502VW35	S50 20mm650SP 70%SCM ECOPACT VR400 CONC
50	VE502E5	S50 20mm 200SL ECOPact CONC	50	VE502EATT	ECOPactActive S50 20mm TRAM TRACK CONC
32	VE321EK6	S32 10mm 60SL KERB & CHANNEL ECOPACT CONC	50	VE502VFA5	ECOPactActive S50 20mm VR450 CONC
25	VE251E2	S25 10mm 120SL ECOPact CONC	32	VE322EF2H	S32 20mm120SL ECOPact HIGH FIB CONC
25	VE252EF2	S25 20mm 120SL ECOPact FIBRE CONC	65	VE652AVWH	S65 20mm VR450 HESW ECOPACT ACTIVE CONC
32	VE322EF2	S32 20mm 120SL ECOPact FIBRE CONC	50	VE504AMTF	S50 14mm 240SL ECOPACT ACTIVE FIB CONC
40	VE402EF2 / VZ402EF2	S40 20mm 120SL ECOPact FIBRE CONC	20	VE202LAV6	ECOPact 20MPa@56Days 20MM 120SLUMP CONC
40	VE401E56	S40@56D 10mm 100SL ECOPact CONC	25	VE252LAV6	ECOPact 25MPa@56Days 20MM 120SLUMP CONC
50	VE501E56	S50@56D 10mm 100SL ECOPact CONC	40	VE404AFPW	S40 14mm650SPRD ECOPACT ACTIVE FIB CONC
40	VE401EAPF / VZ401EAPF	S40 10mm 680SPREAD ECOPact FIBRE CONC	40	VE404AP2	S40 14mm 120SL ECOPACT ACTIVE CONC
32	VE322EPT2	ECOPactActive S32 20mm 120SLUMP PT CONC	100	VE1004EPW / VE1001EPW	ECOPact S100 14mm/10mm SCC PCT CONC
40	VE404EWC	S40 14mm 650SPREAD ECOPact SWC CONC	25	VE251E2	ECOPact S25 10mm 120SLUMP CONC
40	VE402ESW	S40 20mm 650SPREAD ECOPact SWC CONC	25	VE252EF2	ECOPact S25 20mm 120SL FIB CONC
50	VE502ESW	S50 20mm 650SPREAD ECOPact SWC CONC	25	VE252EFP2 / VE252EP2	ECOPact S25 20mm 120SL FIB PLR CONC
32	VE322E5F2	ECOPact S32 20mm 120SL PLR FIB CONC	32	VE322EFP2 / VE322EP2	ECOPact S32 20mm 120SL FIB PLR CONC
32	VE322E5T	ECOPact S32 20mm 100SL 22@5 PT CONC	32	VE321E5KC	ECOPact S32 10mm 50%SCM KERB CONC
32	VE322E659	ECOPact S32 20mm 90SL 600NOM SHRNK CONC	32	VE321EK6	ECOPact S32 10mm 60SL KERB CONC
32	VE322EAM2	ECOPactMax S32 20mm 120SL CONC	32	VE321ESPR / BE321ESPR	ECOPact S32 10mm 70SL SPRAY CONC
32	VE322EF2	ECOPact S32 20mm 120SLUMP FIB CONC	40	VE401ESPR / BE401ESPR	ECOPact S40 10mm 70SL SPRAY CONC
40	VE402APW / VZ402APW	ECOPactActive S40 20mm 680SPRD PCT CONC	20	VE201ECOR / BE201ECOR	ECOPact S20 10mm 180SL COREFILL CONC
40	VE402E4T	ECOPact S40 20mm 22@4D PT CONC	25	VE251ECOR / BE251ECOR	ECOPact S25 10mm 180SL COREFILL CONC
40	VE402E9F2 / VE402E9F3	ECOPact S40 20mm 90SL FIB CONC	32	VE321ECOR / BE321ECOR	ECOPact S32 10mm 180SL COREFILL CONC

Strength (MPa)	Mix code	Description of use	Strength (MPa)	Mix code	Description of use
65	VE652EAP5	ECOPactActive S65 20mm 200SL PCT CONC	50	VE501A520	ECOPactActive S50 10mm 120SL 20@1D CONC
80	VE802EAPW	ECOPactActive S80 20mm 650SPREAD PCT CONC	60	VE602AVP5	ECOPactActive S60 20mm 200SL PCT CONC
65	VE652VWCH / VE652VWH4	S65 20mm HIGHSCM ECOPACT VR540 SCC CONC			

Note: Some customer invoices may have a Z as the second character in their mix code (e.g. QZ202E). This indicates that the mix was sold as a carbon neutral ready-mix concrete (i.e. the residual Global Warming Potential was offset). To find the applicable mix code, please substitute the second character in the mix code with an E (e.g. QE202E).

]

## Content Declaration

The following table provides a summary of the materials included in Holcim ready-mix concrete and their relative composition by weight.

Material	Content
General purpose cement	5-21%
Aggregate	67-84%
Supplementary cementitious materials	0-11%
Water	11.6-12%
Admixtures	0.01-0.02%

Holcim Ready-mix concrete is classified as Non-Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. The [safety data sheet for pre-mixed concrete](#) lists all associated hazard phrases.

The gross weight of this declared material makes up a minimum of 99% of the products covered by this EPD.

## Packaging

Holcim ready-mix concrete is delivered in bulk with no packaging.

Default background data from LCA databases was used to model the above co-products:

## Recycled Material

BS EN 16757:2017 specifically lists the following materials relevant to the study as co-products:

- Fly ash;
- Ground granulated blast furnace slag; and
- Silica fume

- Fly ash: AusLCI process for fly ash treats it as a waste material and only includes transport impacts.
- Ground granulated blast furnace slag: the AusLCI process for slag is allocated based on economic value, as the product has a significant economic value at the point of collection.
- Silica fume: the ecoinvent process for silica fume treat it as a waste material and only includes transport impacts.

As such, the above materials are considered as co-products of their production process and the impacts for their production process are allocated according to PCR 2019:14 Construction Products version 1.11 (co-produced goods, multi-output allocation).

The allocation approach of the AusLCI LCA database was adopted as a default for secondary data and processes (e.g. secondary fuel in cement production). The AusLCI dataset conforms to EN 15804 when applying allocation to its various processes and sub-processes.

# Environmental Performance

The environmental impacts considered in this EPD are listed in the table below. All further tables from this point will contain abbreviation only.

Impact Category	Abbreviation	Measurement Unit
<b>Potential Environmental Impacts</b>		
Total global warming potential	GWPT	kg CO <sub>2</sub> equivalents (GWP100)
Global warming potential (fossil)	GWPF	kg CO <sub>2</sub> equivalents (GWP100)
Global warming potential (biogenic)	GWPB	kg CO <sub>2</sub> equivalents (GWP100)
Global warming potential (land use/ land transformation)	GWPL	kg CO <sub>2</sub> equivalents (GWP100)
Ozone depletion potential	ODP	kg CFC 11 equivalents
Acidification potential	AP	mol H <sup>+</sup> eq.
Eutrophication – aquatic freshwater	EP - freshwater	kg PO <sub>4</sub> <sup>3-</sup> equivalents
Eutrophication – aquatic freshwater	EP - freshwater	kg P equivalent
Eutrophication – aquatic marine	EP - marine	kg N equivalent
Eutrophication – terrestrial	EP – terrestrial	mol N equivalent
Photochemical ozone creation potential	POCP	kg NMVOC equivalents
Abiotic depletion potential (elements)	ADPE	kg Sb equivalents
Abiotic depletion potential (fossil fuels)	ADPF	MJ net calorific value
Water Depletion Potential	WDP	m <sup>3</sup> equivalent deprived
<b>Resource use</b>		
Use of renewable primary energy excluding renewable primary energy resources used as raw materials	PERE	MJ, net calorific value
Use of renewable primary energy resources used as raw materials	PERM	MJ, net calorific value
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials)	PERT	MJ, net calorific value
Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials	PENRE	MJ, net calorific value
Use of non-renewable primary energy resources used as raw materials	PENRM	MJ, net calorific value
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials)	PENRT	MJ, net calorific value
Use of secondary material	SM	kg
Use of renewable secondary fuels	RSF	MJ, net calorific value
Use of non-renewable secondary fuels	NRSF	MJ, net calorific value
Use of net fresh water	FW	m <sup>3</sup>

Impact Category	Abbreviation	Measurement Unit
<b>Waste categories and Output flows</b>		
Hazardous waste disposed	HWD	kg
Non-hazardous waste disposed	NHWD	kg
Radioactive waste disposed/stored	RWD	kg
Components for reuse	CFR	kg
Materials for recycling	MFR	kg
Materials for energy recovery	MFEE	kg
Exported energy	EE - e	MJ per energy carrier
Exported energy, thermal	EE - t	MJ per energy carrier
<b>Additional environmental impacts</b>		
Particulate matter	PM	disease incidence
Ionising radiation - human health	IRP	kBq U-235 eq
Eco-toxicity (freshwater)	ETP-fw	CTUe
Human toxicity potential - cancer effects	HTP-c	CTUh
Human toxicity potential - non cancer effects	HTP-nc	CTUh
Soil quality	SQP	dimensionless



## Victoria – ECOPact Range

Primary indicators - 1m<sup>3</sup> of ViroDecs™ ready-mix concrete

PRIMARY ENVIRONMENTAL INDICATORS		GWPT	GWPF	GWPB	GWPL	ODP	AP	EP - freshwater	EP - freshwater2	EP - marine	EP - terrestrial	POCP	ADPE	ADPF	WDP
Strength (MPa)	Mix Code	kg CO2 eq.	kg CO2 eq.	kg CO2 eq.	kg CO2 eq.	kg CFC 11 eq.	mol H+ eq.	kg PO43- eq.	kg P eq.	kg N eq.	mol N eq.	kg NMVOC eq.	kg Sb eq.	MJ	m3
32	BE324XN	269	269	0.29	2.12E-03	4.36E-06	1.07E+00	7.95E-01	2.65E-03	3.35E-01	3.75E+00	9.54E-01	1.28E-04	1.00E+03	1.08E+03
40	VE401EVMW	237	237	0.37	9.03E-04	5.99E-06	1.08E+00	5.28E-01	6.75E-03	2.92E-01	3.47E+00	8.70E-01	1.35E-04	1.03E+03	1.18E+03
50	VE501EVMW	272	272	0.38	9.32E-04	6.22E-06	1.19E+00	5.72E-01	7.00E-03	3.33E-01	3.93E+00	9.83E-01	1.45E-04	1.08E+03	1.27E+03
55	VE552EVR3	289	289	0.16	8.04E-04	5.99E-06	1.24E+00	6.09E-01	5.96E-03	3.53E-01	4.10E+00	1.03E+00	1.55E-04	1.14E+03	1.40E+03
20	VE202E / BE202E / VZ202E / BZ202E	197	196	0.26	1.97E-03	3.76E-06	8.24E-01	5.23E-01	2.11E-03	2.53E-01	2.82E+00	7.25E-01	1.05E-04	8.43E+02	8.44E+02
20	VE202E56	208	208	0.26	1.97E-03	3.79E-06	8.59E-01	5.28E-01	2.16E-03	2.67E-01	2.98E+00	7.63E-01	1.06E-04	8.34E+02	8.40E+02
20	VE202EF2	198	198	0.31	2.62E-03	4.11E-06	8.44E-01	5.93E-01	3.11E-03	2.49E-01	2.83E+00	7.22E-01	1.07E-04	9.52E+02	8.69E+02
25	VE251EKC / VE257EKC / VZ251EKC	220	220	0.11	3.69E-04	3.96E-06	9.17E-01	3.89E-01	2.33E-03	2.87E-01	3.22E+00	8.19E-01	1.12E-04	6.99E+02	9.13E+02
25	VE252E / BE252E / VZ252E / BZ252E	213	212	0.27	1.99E-03	3.95E-06	8.83E-01	5.58E-01	2.27E-03	2.70E-01	3.02E+00	7.75E-01	1.12E-04	8.95E+02	9.18E+02
25	VE252E56	229	229	0.27	2.00E-03	4.02E-06	9.34E-01	5.66E-01	2.36E-03	2.90E-01	3.24E+00	8.29E-01	1.14E-04	8.92E+02	9.24E+02
25	VE252EF2	216	216	0.32	2.55E-03	4.06E-06	8.95E-01	6.32E-01	2.26E-03	2.71E-01	3.02E+00	7.80E-01	1.15E-04	9.82E+02	9.45E+02
32	VE321EKC / VE327EKC	258	258	0.13	4.19E-04	4.37E-06	1.05E+00	4.43E-01	2.71E-03	3.29E-01	3.69E+00	9.38E-01	1.26E-04	8.04E+02	1.06E+03
32	VE322E / BE322E / VZ322E / BZ322E / VE324E	233	233	0.30	2.22E-03	4.31E-06	9.62E-01	6.30E-01	2.47E-03	2.92E-01	3.27E+00	8.40E-01	1.22E-04	9.94E+02	1.02E+03
32	VE322E56	250	250	0.28	2.04E-03	4.35E-06	1.01E+00	6.17E-01	2.54E-03	3.14E-01	3.51E+00	8.97E-01	1.24E-04	9.57E+02	1.01E+03
32	VE322EF2	242	242	0.34	2.69E-03	4.68E-06	1.01E+00	6.84E-01	3.52E-03	2.99E-01	3.38E+00	8.63E-01	1.26E-04	1.09E+03	1.06E+03
32	VE322P	192	192	0.26	2.15E-03	4.38E-06	8.52E-01	6.06E-01	3.52E-03	2.40E-01	2.74E+00	7.03E-01	1.13E-04	9.66E+02	9.47E+02
40	VE401EAP	294	293	0.32	2.66E-03	5.83E-06	1.23E+00	8.44E-01	6.19E-03	3.58E-01	4.17E+00	1.04E+00	1.43E-04	1.18E+03	1.16E+03
32	VE322EH2	194	194	0.18	1.55E-03	4.36E-06	8.61E-01	1.14E+00	3.15E-03	2.48E-01	2.82E+00	7.25E-01	1.14E-04	8.62E+02	9.44E+02
40	VE402E / BE402E / VZ402E / BZ402E / VE404E	262	262	0.29	2.10E-03	4.70E-06	1.07E+00	6.95E-01	2.76E-03	3.25E-01	3.63E+00	9.32E-01	1.35E-04	1.07E+03	1.16E+03
40	VE402E56	283	283	0.30	2.10E-03	4.70E-06	1.13E+00	7.05E-01	2.84E-03	3.51E-01	3.93E+00	1.00E+00	1.36E-04	1.05E+03	1.14E+03
50	VE501EAP	375	375	0.34	2.51E-03	6.40E-06	1.51E+00	8.59E-01	6.88E-03	4.53E-01	5.24E+00	1.30E+00	1.68E-04	1.36E+03	1.48E+03
25	VE251E56 / VZ251E56	232	231	0.33	3.00E-03	3.97E-06	9.39E-01	1.51E+00	2.28E-03	2.91E-01	3.25E+00	8.31E-01	1.14E-04	9.64E+02	9.20E+02
50	VE502E / VZ502E / VE502E2	303	303	0.32	2.27E-03	5.56E-06	1.24E+00	7.89E-01	4.20E-03	3.67E-01	4.15E+00	1.06E+00	1.54E-04	1.25E+03	1.36E+03
50	VE502E56	341	340	0.33	2.29E-03	5.62E-06	1.35E+00	8.25E-01	4.38E-03	4.13E-01	4.68E+00	1.18E+00	1.58E-04	1.23E+03	1.37E+03
65	VE651EAV / VE654EAV / VE652EAV	344	344	0.32	2.39E-03	6.61E-06	1.42E+00	8.42E-01	7.03E-03	4.08E-01	4.74E+00	1.19E+00	1.67E-04	1.40E+03	1.53E+03
80	VE801EAV / VE804EAV / VE802EAV	408	408	0.36	2.67E-03	7.88E-06	1.68E+00	1.02E+00	9.16E-03	4.77E-01	5.59E+00	1.39E+00	1.95E-04	1.65E+03	1.82E+03

PRIMARY ENVIRONMENTAL INDICATORS		GWPT	GWPF	GWPB	GWPL	ODP	AP	EP - freshwat er	EP - freshwat er2	EP - marine	EP - terrestria l	POCP	ADPE	ADPF	WDP
Strengt h (MPa)	Mix Code	kg CO2 eq.	kg CO2 eq.	kg CO2 eq.	kg CO2 eq.	kg CFC 11 eq.	mol H+ eq.	kg PO43- eq.	kg P eq.	kg N eq.	mol N eq.	kg NMVOC eq.	kg Sb eq.	MJ	m3
40	VE402EVR2 / BE402EV2	248	247	0.27	2.02E-03	5.06E-06	1.05E+00	6.68E-01	3.75E-03	3.04E-01	3.45E+00	8.84E-01	1.36E-04	1.10E+03	1.18E+03
50	VE502EVR2	279	279	0.29	2.07E-03	5.45E-06	1.16E+00	7.39E-01	4.06E-03	3.38E-01	3.83E+00	9.82E-01	1.50E-04	1.21E+03	1.33E+03
40	VE402EAP / VZ402EAP	310	310	0.31	2.43E-03	5.77E-06	1.28E+00	8.21E-01	5.85E-03	3.76E-01	4.35E+00	1.09E+00	1.47E-04	1.19E+03	1.24E+03
40	VE401EAV / VE404EAV / VZ404EAV / BE401EAV / BZ401EAV / VE402EAV	279	279	0.29	2.29E-03	5.91E-06	1.19E+00	7.76E-01	5.95E-03	3.34E-01	3.88E+00	9.79E-01	1.46E-04	1.23E+03	1.29E+03
50	VE501EAV / VE504EAV / BE501EAV / VE502EAV / VE504EAVX	307	307	0.30	2.30E-03	6.11E-06	1.28E+00	7.88E-01	6.19E-03	3.67E-01	4.25E+00	1.07E+00	1.55E-04	1.30E+03	1.40E+03
55	VE552EVR3	289	289	0.16	8.04E-04	5.99E-06	1.24E+00	6.09E-01	5.96E-03	3.53E-01	4.10E+00	1.03E+00	1.55E-04	1.14E+03	1.40E+03
32	VE322E5 / VZ322E5	221	220	0.27	2.17E-03	4.60E-06	9.43E-01	5.95E-01	3.84E-03	2.75E-01	3.14E+00	7.99E-01	1.18E-04	9.93E+02	9.94E+02
40	VE402E5 / VZ402E5	244	243	0.29	2.28E-03	5.15E-06	1.04E+00	6.53E-01	4.62E-03	2.99E-01	3.43E+00	8.71E-01	1.30E-04	1.10E+03	1.12E+03
50	VE502E5	281	281	0.31	2.41E-03	5.84E-06	1.19E+00	7.70E-01	5.51E-03	3.37E-01	3.88E+00	9.84E-01	1.49E-04	1.27E+03	1.33E+03
32	VE321EK6	257	257	0.13	4.19E-04	4.36E-06	1.05E+00	4.43E-01	2.71E-03	3.28E-01	3.69E+00	9.36E-01	1.26E-04	8.03E+02	1.06E+03
25	VE251E2	218	218	0.27	2.11E-03	4.39E-06	9.23E-01	5.83E-01	3.30E-03	2.75E-01	3.12E+00	7.94E-01	1.16E-04	9.49E+02	9.53E+02
25	VE252EF2	214	214	0.27	2.11E-03	4.36E-06	9.10E-01	5.82E-01	3.27E-03	2.70E-01	3.06E+00	7.81E-01	1.14E-04	9.44E+02	9.45E+02
32	VE322EF2	240	239	0.28	2.15E-03	4.67E-06	1.00E+00	6.31E-01	3.51E-03	2.97E-01	3.37E+00	8.60E-01	1.25E-04	1.03E+03	1.06E+03
40	VE402EF2 / VZ402EF2	274	274	0.36	3.07E-03	5.16E-06	1.13E+00	1.34E+00	4.05E-03	3.33E-01	3.78E+00	9.62E-01	1.40E-04	1.21E+03	1.21E+03
40	VE401E56	279	279	0.33	3.18E-03	4.82E-06	1.13E+00	2.26E+00	3.62E-03	3.42E-01	3.87E+00	9.82E-01	1.33E-04	1.09E+03	1.11E+03
50	VE501E56	340	340	0.36	3.22E-03	5.52E-06	1.35E+00	2.29E+00	4.21E-03	4.11E-01	4.64E+00	1.17E+00	1.57E-04	1.26E+03	1.36E+03
40	VE401EAPF / VZ401EAPF	308	308	0.48	3.36E-03	6.18E-06	1.25E+00	1.35E+00	6.85E-03	3.55E-01	4.16E+00	1.04E+00	1.42E-04	1.40E+03	1.15E+03
32	VE322EPT2	221	220	0.19	1.67E-03	4.76E-06	9.61E-01	1.15E+00	4.37E-03	2.76E-01	3.18E+00	8.04E-01	1.20E-04	9.35E+02	1.03E+03
40	VE404EWC	241	241	0.13	1.10E-03	5.59E-06	1.07E+00	1.08E+00	5.75E-03	2.98E-01	3.48E+00	8.76E-01	1.32E-04	9.66E+02	1.13E+03
40	VE402ESW	241	241	0.13	1.09E-03	5.58E-06	1.07E+00	1.08E+00	5.73E-03	2.98E-01	3.49E+00	8.76E-01	1.32E-04	9.65E+02	1.13E+03
50	VE502ESW	269	269	0.15	1.13E-03	5.91E-06	1.17E+00	1.09E+00	6.18E-03	3.30E-01	3.86E+00	9.67E-01	1.42E-04	1.05E+03	1.24E+03
40	VE402ESW7	186	186	0.11	1.05E-03	5.21E-06	8.89E-01	1.05E+00	5.23E-03	2.32E-01	2.74E+00	6.97E-01	1.20E-04	8.90E+02	1.01E+03
50	VE502ESW7	201	201	0.12	1.02E-03	5.35E-06	9.42E-01	1.06E+00	4.94E-03	2.49E-01	2.90E+00	7.43E-01	1.28E-04	9.56E+02	1.11E+03
40	VE401E / BE401E	246	246	0.24	1.95E-03	4.76E-06	1.03E+00	1.20E+00	3.64E-03	3.06E-01	3.47E+00	8.84E-01	1.28E-04	9.97E+02	1.09E+03
40	VE401E56	287	286	0.25	1.97E-03	5.04E-06	1.17E+00	1.22E+00	3.91E-03	3.55E-01	4.03E+00	1.02E+00	1.38E-04	1.03E+03	1.16E+03
50	VE504EWC	274	274	0.15	1.05E-03	5.74E-06	1.18E+00	1.09E+00	5.51E-03	3.36E-01	3.89E+00	9.81E-01	1.44E-04	1.05E+03	1.27E+03
65	VE654EWC	336	336	0.18	1.14E-03	6.51E-06	1.40E+00	1.12E+00	6.60E-03	4.05E-01	4.70E+00	1.18E+00	1.67E-04	1.23E+03	1.52E+03
40	VE401EVBW	232	232	0.12	1.09E-03	5.38E-06	1.03E+00	1.08E+00	5.65E-03	2.90E-01	3.41E+00	8.51E-01	1.24E-04	8.76E+02	1.01E+03
50	VE501EVBW	256	256	0.14	1.13E-03	5.76E-06	1.12E+00	1.09E+00	6.11E-03	3.16E-01	3.71E+00	9.27E-01	1.36E-04	9.79E+02	1.15E+03

PRIMARY ENVIRONMENTAL INDICATORS		GWPT	GWPF	GWPB	GWPL	ODP	AP	EP - freshwater	EP - freshwater2	EP - marine	EP - terrestrial	POCP	ADPE	ADPF	WDP
Strength (MPa)	Mix Code	kg CO2 eq.	kg CO2 eq.	kg CO2 eq.	kg CO2 eq.	kg CFC 11 eq.	mol H+ eq.	kg PO43- eq.	kg P eq.	kg N eq.	mol N eq.	kg NMVOC eq.	kg Sb eq.	MJ	m3
40	VE401VWCH	185	185	0.11	9.86E-04	5.03E-06	8.76E-01	1.05E+00	4.56E-03	2.32E-01	2.71E+00	6.94E-01	1.20E-04	8.74E+02	1.01E+03
50	VE501VWCH	200	200	0.12	9.74E-04	5.21E-06	9.32E-01	1.06E+00	4.53E-03	2.48E-01	2.88E+00	7.40E-01	1.28E-04	9.45E+02	1.11E+03
50	VE502EVR5	273	273	0.19	1.36E-03	5.63E-06	1.17E+00	1.13E+00	5.04E-03	3.34E-01	3.85E+00	9.75E-01	1.46E-04	1.09E+03	1.29E+03
65	VE652E5	298	297	0.20	1.42E-03	6.12E-06	1.27E+00	1.14E+00	5.66E-03	3.57E-01	4.12E+00	1.05E+00	1.59E-04	1.22E+03	1.45E+03
65	VE651EWC	336	336	0.18	1.14E-03	6.51E-06	1.40E+00	1.12E+00	6.59E-03	4.06E-01	4.70E+00	1.18E+00	1.67E-04	1.23E+03	1.52E+03
50	VE501E	286	286	0.19	1.23E-03	5.14E-06	1.18E+00	1.14E+00	3.48E-03	3.51E-01	3.96E+00	1.01E+00	1.47E-04	1.06E+03	1.31E+03
40	VE402EPT1 / VE402APT1	254	254	0.16	7.57E-04	5.00E-06	1.07E+00	1.63E-01	4.16E-03	3.16E-01	3.61E+00	9.14E-01	1.34E-04	9.58E+02	1.16E+03
40	VE402EPT2 / VE402APT2	255	255	0.16	8.06E-04	5.14E-06	1.08E+00	1.63E-01	4.65E-03	3.16E-01	3.63E+00	9.17E-01	1.34E-04	9.70E+02	1.16E+03
40	VE402EPT3 / VE402APT3	256	255	0.16	9.02E-04	5.38E-06	1.10E+00	1.62E-01	5.62E-03	3.15E-01	3.67E+00	9.18E-01	1.33E-04	9.90E+02	1.16E+03
20	VE202E3 / VZ202E3	180	180	0.15	1.33E-03	3.79E-06	7.89E-01	1.12E+00	2.76E-03	2.35E-01	2.67E+00	6.81E-01	1.00E-04	7.19E+02	8.03E+02
32	VE321EAV / VZ321EAV / BE321EAV	264	263	0.18	1.35E-03	5.52E-06	1.13E+00	1.13E+00	4.87E-03	3.22E-01	3.70E+00	9.40E-01	1.43E-04	1.06E+03	1.25E+03
55	VE552VRF3	384	383	0.20	1.01E-03	6.21E-06	1.53E+00	1.14E+00	5.56E-03	4.66E-01	5.32E+00	1.33E+00	1.74E-04	1.20E+03	1.56E+03
40	VE404AV56	288	288	0.23	2.32E-03	5.77E-06	1.22E+00	2.15E+00	5.88E-03	3.54E-01	4.11E+00	1.03E+00	1.42E-04	1.07E+03	1.16E+03
65	VE652ESW	339	339	0.19	1.73E-03	6.77E-06	1.43E+00	2.08E+00	7.48E-03	4.09E-01	4.78E+00	1.19E+00	1.69E-04	1.27E+03	1.53E+03
80	VE802ESW	403	402	0.22	1.89E-03	7.92E-06	1.68E+00	2.11E+00	9.17E-03	4.76E-01	5.59E+00	1.39E+00	1.96E-04	1.51E+03	1.82E+03
50	VE502VRA5	374	374	0.20	1.64E-03	6.55E-06	1.52E+00	2.10E+00	6.72E-03	4.53E-01	5.24E+00	1.31E+00	1.74E-04	1.27E+03	1.58E+03
40	VE402EAP5	301	301	0.16	1.60E-03	5.73E-06	1.26E+00	2.07E+00	6.00E-03	3.74E-01	4.35E+00	1.08E+00	1.44E-04	1.01E+03	1.22E+03
50	VE502EAP5	358	358	0.19	1.63E-03	6.31E-06	1.46E+00	2.09E+00	6.51E-03	4.38E-01	5.07E+00	1.26E+00	1.65E-04	1.17E+03	1.45E+03
50	VE504AVPW	363	363	0.20	1.63E-03	6.42E-06	1.48E+00	2.10E+00	6.61E-03	4.42E-01	5.11E+00	1.27E+00	1.69E-04	1.23E+03	1.53E+03
50	VE502AVL2	393	393	0.21	1.50E-03	6.17E-06	1.56E+00	2.11E+00	5.36E-03	4.79E-01	5.46E+00	1.37E+00	1.77E-04	1.23E+03	1.59E+03
55	VE554AVFW	398	398	0.31	1.74E-03	7.33E-06	1.57E+00	2.11E+00	7.71E-03	4.52E-01	5.27E+00	1.32E+00	1.76E-04	1.88E+03	1.60E+03
65	VE654ABPW	417	416	0.22	1.85E-03	7.32E-06	1.69E+00	2.12E+00	8.93E-03	5.02E-01	5.88E+00	1.45E+00	1.83E-04	1.36E+03	1.66E+03
40	VE402ESWC / VE402ESW	242	242	0.14	1.61E-03	5.65E-06	1.08E+00	2.04E+00	5.74E-03	3.01E-01	3.52E+00	8.85E-01	1.34E-04	9.86E+02	1.14E+03
50	VE502ESWC / VE502ESW	278	278	0.16	1.62E-03	5.96E-06	1.20E+00	2.06E+00	6.05E-03	3.42E-01	3.98E+00	9.99E-01	1.46E-04	1.07E+03	1.26E+03
40	VE402VWCH / VE402VWH4	189	189	0.14	2.60E-03	5.32E-06	9.13E-01	3.95E+00	5.27E-03	2.37E-01	2.80E+00	7.12E-01	1.23E-04	9.44E+02	1.01E+03
50	VE502VWCH / VE502VWH4 / VE502VWH5	204	204	0.15	2.61E-03	5.55E-06	9.71E-01	3.95E+00	5.45E-03	2.52E-01	2.96E+00	7.56E-01	1.31E-04	1.02E+03	1.11E+03
50	VE502EATT	291	291	0.20	1.87E-03	5.71E-06	1.23E+00	2.11E+00	5.08E-03	3.54E-01	4.07E+00	1.03E+00	1.52E-04	1.15E+03	1.36E+03
50	VE502VFA5	383	383	0.23	1.54E-03	6.69E-06	1.55E+00	1.18E+00	7.20E-03	4.65E-01	5.39E+00	1.34E+00	1.73E-04	1.27E+03	1.54E+03
32	VE322EF2H	236	235	0.35	3.54E-03	4.65E-06	9.92E-01	2.29E+00	3.47E-03	2.90E-01	3.29E+00	8.41E-01	1.25E-04	1.11E+03	1.04E+03

PRIMARY ENVIRONMENTAL INDICATORS		GWPT	GWPF	GWPB	GWPL	ODP	AP	EP - freshwater	EP - freshwater2	EP - marine	EP - terrestrial	POCP	ADPE	ADPF	WDP
Strength (MPa)	Mix Code	kg CO2 eq.	kg CO2 eq.	kg CO2 eq.	kg CO2 eq.	kg CFC 11 eq.	mol H+ eq.	kg PO43- eq.	kg P eq.	kg N eq.	mol N eq.	kg NMVOC eq.	kg Sb eq.	MJ	m3
65	VE652AVWH	430	430	0.30	2.56E-03	7.36E-06	1.73E+00	2.21E+00	8.93E-03	5.16E-01	6.03E+00	1.48E+00	1.87E-04	1.47E+03	1.70E+03
50	VE504AMTF	288	288	0.17	1.59E-03	5.90E-06	1.23E+00	2.06E+00	5.96E-03	3.51E-01	4.08E+00	1.02E+00	1.50E-04	1.10E+03	1.32E+03
20	VE202LAV6	215	214	0.26	2.78E-03	4.07E-06	9.01E-01	2.20E+00	3.12E-03	2.73E-01	3.10E+00	7.85E-01	1.08E-04	8.74E+02	8.58E+02
25	VE252LAV6	234	234	0.27	2.79E-03	4.31E-06	9.72E-01	2.20E+00	3.30E-03	2.95E-01	3.35E+00	8.47E-01	1.16E-04	9.29E+02	9.37E+02
40	VE404AFPW	333	332	0.27	1.54E-03	6.11E-06	1.30E+00	2.08E+00	5.31E-03	3.82E-01	4.39E+00	1.11E+00	1.47E-04	1.61E+03	1.29E+03
40	VE404AP2	317	317	0.17	1.50E-03	5.50E-06	1.29E+00	2.08E+00	5.15E-03	3.94E-01	4.52E+00	1.13E+00	1.48E-04	1.03E+03	1.28E+03
100	VE1004EPW / VE1001EPW	447	446	1.04	3.23E-03	8.60E-06	1.85E+00	3.17E+00	1.04E-02	5.25E-01	6.18E+00	1.54E+00	2.13E-04	1.74E+03	1.97E+03
25	VE251E2	210	210	0.22	1.88E-03	4.16E-06	8.92E-01	1.19E+00	2.87E-03	2.68E-01	3.02E+00	7.72E-01	1.13E-04	8.67E+02	9.27E+02
25	VE252EF2	211	211	0.22	1.88E-03	4.20E-06	8.99E-01	1.19E+00	2.78E-03	2.69E-01	3.04E+00	7.77E-01	1.14E-04	8.80E+02	9.42E+02
25	VE252EFP2 / VE252EP2	211	211	0.22	1.87E-03	4.14E-06	8.94E-01	1.19E+00	2.76E-03	2.68E-01	3.02E+00	7.73E-01	1.13E-04	8.77E+02	9.41E+02
32	VE322EFP2 / VE322EP2	218	218	0.23	1.89E-03	4.40E-06	9.31E-01	1.19E+00	2.91E-03	2.73E-01	3.08E+00	7.93E-01	1.21E-04	9.54E+02	1.04E+03
32	VE321E5KC	198	198	0.11	7.44E-04	4.07E-06	8.59E-01	1.06E+00	2.29E-03	2.58E-01	2.89E+00	7.44E-01	1.13E-04	7.36E+02	9.22E+02
32	VE321EK6	258	258	0.13	7.62E-04	4.37E-06	1.05E+00	1.09E+00	2.71E-03	3.29E-01	3.70E+00	9.39E-01	1.26E-04	8.13E+02	1.06E+03
32	VE321ESPR / BE321ESPR	260	259	0.66	1.74E-03	4.75E-06	1.08E+00	2.09E+00	3.79E-03	3.24E-01	3.69E+00	9.39E-01	1.30E-04	9.46E+02	1.12E+03
40	VE401ESPR / BE401ESPR	288	287	0.91	1.76E-03	5.07E-06	1.18E+00	2.10E+00	3.98E-03	3.56E-01	4.05E+00	1.03E+00	1.41E-04	1.02E+03	1.23E+03
20	VE201ECOR / BE201ECOR	197	196	0.12	1.36E-03	4.18E-06	8.63E-01	2.02E+00	3.30E-03	2.56E-01	2.92E+00	7.41E-01	1.08E-04	7.41E+02	8.81E+02
25	VE251ECOR / BE251ECOR	218	218	0.13	1.42E-03	4.61E-06	9.51E-01	2.03E+00	4.00E-03	2.79E-01	3.20E+00	8.10E-01	1.18E-04	8.25E+02	9.80E+02
32	VE321ECOR / BE321ECOR	230	229	0.14	1.48E-03	5.03E-06	1.01E+00	2.04E+00	4.54E-03	2.89E-01	3.34E+00	8.45E-01	1.27E-04	9.12E+02	1.08E+03
32	VE322E5F2	217	217	0.20	2.07E-03	4.51E-06	9.41E-01	2.11E+00	3.34E-03	2.73E-01	3.10E+00	7.94E-01	1.21E-04	9.33E+02	1.03E+03
32	VE322E5T	276	276	0.22	2.10E-03	4.77E-06	1.13E+00	2.14E+00	3.78E-03	3.44E-01	3.91E+00	9.86E-01	1.33E-04	9.94E+02	1.15E+03
32	VE322E659	226	225	0.27	2.71E-03	4.26E-06	9.45E-01	2.20E+00	2.43E-03	2.83E-01	3.17E+00	8.17E-01	1.21E-04	9.81E+02	1.02E+03
32	VE322EAM2	118	118	0.12	9.37E-04	4.28E-06	6.29E-01	1.24E-01	3.62E-03	1.56E-01	1.83E+00	4.78E-01	9.68E-05	7.59E+02	7.77E+02
32	VE322EF2	237	237	0.23	1.95E-03	4.70E-06	1.00E+00	1.20E+00	3.56E-03	2.97E-01	3.37E+00	8.59E-01	1.25E-04	9.74E+02	1.06E+03
40	VE402APW / VZ402APW	301	301	0.20	1.47E-03	6.11E-06	1.28E+00	1.15E+00	6.17E-03	3.66E-01	4.25E+00	1.07E+00	1.55E-04	1.18E+03	1.39E+03
40	VE402E4T	314	314	0.24	1.62E-03	5.23E-06	1.26E+00	1.19E+00	4.19E-03	3.87E-01	4.39E+00	1.11E+00	1.48E-04	1.10E+03	1.32E+03
40	VE402E9F2 / VE402E9F3	315	314	0.30	2.24E-03	4.92E-06	1.24E+00	1.28E+00	3.17E-03	3.86E-01	4.33E+00	1.10E+00	1.47E-04	1.14E+03	1.29E+03
65	VE652EAP5	348	348	0.26	1.84E-03	6.46E-06	1.43E+00	1.21E+00	6.50E-03	4.17E-01	4.82E+00	1.21E+00	1.70E-04	1.32E+03	1.54E+03
80	VE802EAPW	418	418	0.29	2.09E-03	8.07E-06	1.74E+00	1.24E+00	9.15E-03	4.97E-01	5.81E+00	1.45E+00	2.03E-04	1.61E+03	1.87E+03
65	VE652VWCH / VE652VWH4	307	307	0.19	2.15E-03	6.53E-06	1.33E+00	3.03E+00	6.36E-03	3.71E-01	4.30E+00	1.09E+00	1.68E-04	1.29E+03	1.53E+03

PRIMARY ENVIRONMENTAL INDICATORS		GWPT	GWPF	GWPB	GWPL	ODP	AP	EP - freshwat er	EP - freshwat er2	EP - marine	EP – terrestria l	POCP	ADPE	ADPF	WDP
Strengt h (MPa)	Mix Code	kg CO2 eq.	kg CO2 eq.	kg CO2 eq.	kg CO2 eq.	kg CFC 11 eq.	mol H+ eq.	kg PO43- eq.	kg P eq.	kg N eq.	mol N eq.	kg NMVOC eq.	kg Sb eq.	MJ	m3
50	VE501A520	406	405	0.24	1.50E-03	6.66E-06	1.62E+00	1.19E+00	6.90E-03	4.92E-01	5.68E+00	1.41E+00	1.79E-04	1.31E+03	1.63E+03
60	VE602AVP5	354	354	0.26	1.85E-03	6.46E-06	1.45E+00	1.21E+00	6.57E-03	4.26E-01	4.92E+00	1.23E+00	1.69E-04	1.31E+03	1.54E+03

Resource use parameters - 1m<sup>3</sup> of ViroDecs™ ready-mix concrete

PARAMETERS DESCRIBING RESOURCE USE		PERE	PERM	PERT	PENRE	PENRM	PENRT	SM	RSF	NRSF	FW
Strength (MPa)	Mix Code	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	kg	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	m <sup>3</sup>
32	BE324XN	2.84E+01	3.05E-03	2.84E+01	8.25E+02	3.27E+02	1.15E+03	1.40E+02	3.52E-05	0.00E+00	1.50E-01
40	VE401EVMW	3.00E+01	4.96E-04	3.00E+01	9.36E+02	2.71E+02	1.21E+03	2.43E+02	3.65E-05	0.00E+00	1.49E-01
50	VE501EVMW	3.22E+01	5.31E-04	3.22E+01	9.87E+02	2.67E+02	1.25E+03	2.30E+02	3.66E-05	0.00E+00	1.63E-01
55	VE552EVR3	3.56E+01	5.65E-04	3.56E+01	1.08E+03	2.12E+02	1.30E+03	2.45E+02	1.69E-05	0.00E+00	1.76E-01
20	VE202E / BE202E / VZ202E / BZ202E	2.23E+01	2.76E-03	2.23E+01	6.66E+02	3.46E+02	1.01E+03	1.36E+02	3.69E-05	0.00E+00	1.17E-01
20	VE202E56	2.23E+01	2.76E-03	2.23E+01	6.57E+02	3.45E+02	1.00E+03	1.25E+02	3.69E-05	0.00E+00	1.20E-01
20	VE202EF2	2.27E+01	3.60E-03	2.27E+01	6.89E+02	4.37E+02	1.13E+03	1.76E+02	5.23E-05	0.00E+00	1.18E-01
25	VE251EKC / VE257EKC / VZ251EKC	2.40E+01	3.35E-04	2.40E+01	7.09E+02	1.67E+02	8.76E+02	9.02E+01	7.98E-06	0.00E+00	1.29E-01
25	VE252E / BE252E / VZ252E / BZ252E	2.41E+01	2.79E-03	2.41E+01	7.18E+02	3.42E+02	1.06E+03	1.50E+02	3.73E-05	0.00E+00	1.26E-01
25	VE252E56	2.44E+01	2.79E-03	2.44E+01	7.16E+02	3.42E+02	1.06E+03	1.39E+02	3.73E-05	0.00E+00	1.30E-01
25	VE252EF2	2.46E+01	3.63E-03	2.46E+01	7.43E+02	4.08E+02	1.15E+03	1.91E+02	4.53E-05	0.00E+00	1.28E-01
32	VE321EKC / VE327EKC	2.77E+01	3.81E-04	2.77E+01	8.13E+02	1.63E+02	9.75E+02	1.00E+02	1.03E-05	0.00E+00	1.47E-01
32	VE322E / BE322E / VZ322E / BZ322E / VE324E	2.65E+01	3.12E-03	2.65E+01	7.96E+02	3.64E+02	1.16E+03	1.85E+02	4.04E-05	0.00E+00	1.38E-01
32	VE322E56	2.65E+01	2.85E-03	2.65E+01	7.80E+02	3.40E+02	1.12E+03	1.69E+02	3.72E-05	0.00E+00	1.41E-01
32	VE322EF2	2.74E+01	3.68E-03	2.74E+01	8.26E+02	4.29E+02	1.25E+03	2.16E+02	5.21E-05	0.00E+00	1.42E-01
32	VE322P	2.43E+01	2.86E-03	2.43E+01	7.58E+02	3.70E+02	1.13E+03	2.48E+02	3.77E-05	0.00E+00	1.23E-01
40	VE401EAP	2.96E+01	3.35E-03	2.96E+01	9.06E+02	4.52E+02	1.36E+03	3.05E+02	5.18E-05	0.00E+00	1.63E-01
32	VE322EH2	2.43E+01	2.25E-03	2.43E+01	7.56E+02	2.79E+02	1.04E+03	1.92E+02	2.56E-05	0.00E+00	1.24E-01
40	VE402E / BE402E / VZ402E / BZ402E / VE404E	3.00E+01	2.93E-03	3.00E+01	8.98E+02	3.36E+02	1.23E+03	2.14E+02	3.74E-05	0.00E+00	1.54E-01
40	VE402E56	2.98E+01	2.93E-03	2.98E+01	8.74E+02	3.32E+02	1.21E+03	1.89E+02	3.74E-05	0.00E+00	1.58E-01
50	VE501EAP	3.78E+01	3.07E-03	3.78E+01	1.11E+03	4.31E+02	1.54E+03	2.10E+02	4.86E-05	0.00E+00	2.01E-01
25	VE251E56 / VZ251E56	2.42E+01	4.68E-03	2.42E+01	7.12E+02	4.18E+02	1.13E+03	1.55E+02	4.68E-05	0.00E+00	1.30E-01
50	VE502E / VZ502E / VE502E2	3.48E+01	3.03E-03	3.48E+01	1.05E+03	3.51E+02	1.40E+03	2.67E+02	4.52E-05	0.00E+00	1.76E-01
50	VE502E56	3.53E+01	3.05E-03	3.53E+01	1.03E+03	3.49E+02	1.38E+03	2.18E+02	4.53E-05	0.00E+00	1.86E-01
65	VE651EAV / VE654EAV / VE652EAV	3.86E+01	2.82E-03	3.86E+01	1.16E+03	4.07E+02	1.57E+03	2.84E+02	5.76E-05	0.00E+00	1.95E-01
80	VE801EAV / VE804EAV / VE802EAV	4.58E+01	3.00E-03	4.58E+01	1.38E+03	4.40E+02	1.82E+03	3.44E+02	6.82E-05	0.00E+00	2.30E-01
40	VE402EVR2 / BE402EV2	3.03E+01	2.66E-03	3.03E+01	9.24E+02	3.37E+02	1.26E+03	2.44E+02	4.18E-05	0.00E+00	1.51E-01
50	VE502EVR2	3.40E+01	2.73E-03	3.40E+01	1.03E+03	3.30E+02	1.36E+03	2.74E+02	4.20E-05	0.00E+00	1.69E-01
40	VE402EAP / VZ402EAP	3.17E+01	3.06E-03	3.17E+01	9.48E+02	4.07E+02	1.36E+03	2.80E+02	4.60E-05	0.00E+00	1.71E-01

PARAMETERS DESCRIBING RESOURCE USE		PERE	PERM	PERT	PENRE	PENRM	PENRT	SM	RSF	NRSF	FW
Strength (MPa)	Mix Code	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	kg	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	m <sup>3</sup>
40	VE401EAV / VE404EAV / VZ404EAV / BE401EAV / BZ401EAV / VE402EAV	3.26E+01	2.77E-03	3.26E+01	1.00E+03	3.92E+02	1.40E+03	3.24E+02	5.24E-05	0.00E+00	1.65E-01
50	VE501EAV / VE504EAV / BE501EAV / VE502EAV / VE504EAVX	3.54E+01	2.77E-03	3.54E+01	1.07E+03	3.94E+02	1.47E+03	2.94E+02	5.24E-05	0.00E+00	1.78E-01
55	VE552EVR3	3.56E+01	5.65E-04	3.56E+01	1.08E+03	2.12E+02	1.30E+03	2.45E+02	1.69E-05	0.00E+00	1.76E-01
32	VE322E5 / VZ322E5	2.57E+01	2.84E-03	2.57E+01	7.81E+02	3.87E+02	1.17E+03	1.96E+02	4.50E-05	0.00E+00	1.32E-01
40	VE402E5 / VZ402E5	2.86E+01	2.89E-03	2.86E+01	8.76E+02	3.97E+02	1.27E+03	2.40E+02	5.01E-05	0.00E+00	1.46E-01
50	VE502E5	3.36E+01	3.02E-03	3.36E+01	1.03E+03	3.95E+02	1.42E+03	3.03E+02	5.30E-05	0.00E+00	1.68E-01
32	VE321EK6	2.77E+01	3.81E-04	2.77E+01	8.12E+02	1.60E+02	9.72E+02	1.00E+02	1.05E-05	0.00E+00	1.47E-01
25	VE251E2	2.49E+01	2.82E-03	2.49E+01	7.48E+02	3.76E+02	1.12E+03	1.69E+02	4.23E-05	0.00E+00	1.29E-01
25	VE252EF2	2.46E+01	2.82E-03	2.46E+01	7.43E+02	3.73E+02	1.12E+03	1.75E+02	4.23E-05	0.00E+00	1.28E-01
32	VE322EF2	2.74E+01	2.87E-03	2.74E+01	8.25E+02	3.66E+02	1.19E+03	2.00E+02	4.24E-05	0.00E+00	1.41E-01
40	VE402EF2 / VZ402EF2	3.10E+01	4.45E-03	3.10E+01	9.33E+02	4.37E+02	1.37E+03	2.46E+02	5.64E-05	0.00E+00	1.59E-01
40	VE401E56	2.90E+01	5.05E-03	2.90E+01	8.49E+02	3.96E+02	1.24E+03	1.87E+02	5.25E-05	0.00E+00	1.53E-01
50	VE501E56	3.50E+01	5.05E-03	3.50E+01	1.02E+03	3.86E+02	1.41E+03	2.23E+02	5.44E-05	0.00E+00	1.84E-01
40	VE401EAPF / VZ401EAPF	3.59E+01	4.45E-03	3.59E+01	1.06E+03	5.23E+02	1.58E+03	3.20E+02	7.19E-05	0.00E+00	1.62E-01
32	VE322EPT2	2.66E+01	2.25E-03	2.66E+01	8.04E+02	2.99E+02	1.10E+03	1.62E+02	3.32E-05	0.00E+00	1.34E-01
40	VE404EWC	2.88E+01	1.15E-03	2.88E+01	8.89E+02	2.48E+02	1.14E+03	2.41E+02	3.38E-05	0.00E+00	1.47E-01
40	VE402ESW	2.88E+01	1.15E-03	2.88E+01	8.90E+02	2.48E+02	1.14E+03	2.41E+02	3.28E-05	0.00E+00	1.47E-01
50	VE502ESW	3.16E+01	1.15E-03	3.16E+01	9.67E+02	2.50E+02	1.22E+03	2.41E+02	3.39E-05	0.00E+00	1.61E-01
40	VE402ESW7	2.54E+01	1.15E-03	2.54E+01	8.18E+02	2.42E+02	1.06E+03	3.09E+02	2.65E-05	0.00E+00	1.26E-01
50	VE502ESW7	2.78E+01	1.15E-03	2.78E+01	8.97E+02	2.26E+02	1.12E+03	3.37E+02	2.49E-05	0.00E+00	1.37E-01
40	VE401E / BE401E	2.82E+01	2.80E-03	2.82E+01	8.47E+02	3.10E+02	1.16E+03	1.83E+02	3.69E-05	0.00E+00	1.45E-01
40	VE401E56	3.01E+01	2.80E-03	3.01E+01	8.84E+02	3.10E+02	1.19E+03	1.73E+02	3.69E-05	0.00E+00	1.60E-01
50	VE504EWC	3.23E+01	1.15E-03	3.23E+01	9.86E+02	2.32E+02	1.22E+03	2.36E+02	2.88E-05	0.00E+00	1.64E-01
65	VE654EWC	3.86E+01	1.15E-03	3.86E+01	1.16E+03	2.36E+02	1.40E+03	2.41E+02	3.33E-05	0.00E+00	1.94E-01
40	VE401EVBW	2.60E+01	1.15E-03	2.60E+01	7.98E+02	2.47E+02	1.04E+03	2.31E+02	3.24E-05	0.00E+00	1.38E-01
50	VE501EVBW	2.93E+01	1.15E-03	2.93E+01	8.98E+02	2.53E+02	1.15E+03	2.41E+02	3.39E-05	0.00E+00	1.52E-01
40	VE401VWCH	2.54E+01	1.15E-03	2.54E+01	8.18E+02	2.25E+02	1.04E+03	3.09E+02	2.38E-05	0.00E+00	1.26E-01
50	VE501VWCH	2.77E+01	1.15E-03	2.77E+01	8.95E+02	2.14E+02	1.11E+03	3.37E+02	2.18E-05	0.00E+00	1.36E-01
50	VE502EVR5	3.28E+01	1.70E-03	3.28E+01	1.00E+03	2.54E+02	1.26E+03	2.51E+02	2.83E-05	0.00E+00	1.65E-01

PARAMETERS DESCRIBING RESOURCE USE		PERE	PERM	PERT	PENRE	PENRM	PENRT	SM	RSF	NRSF	FW
Strength (MPa)	Mix Code	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	kg	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	m <sup>3</sup>
65	VE652E5	3.66E+01	1.70E-03	3.66E+01	1.12E+03	2.42E+02	1.36E+03	3.01E+02	3.18E-05	0.00E+00	1.80E-01
65	VE651EWC	3.84E+01	1.15E-03	3.84E+01	1.16E+03	2.38E+02	1.40E+03	2.41E+02	3.33E-05	0.00E+00	1.94E-01
50	VE501E	3.34E+01	1.76E-03	3.34E+01	1.00E+03	1.97E+02	1.20E+03	2.17E+02	2.11E-05	0.00E+00	1.69E-01
40	VE402EPT1 / VE402APT1	3.00E+01	5.49E-04	3.00E+01	9.00E+02	2.13E+02	1.11E+03	1.91E+02	1.91E-05	0.00E+00	1.52E-01
40	VE402EPT2 / VE402APT2	2.99E+01	5.49E-04	2.99E+01	9.00E+02	2.28E+02	1.13E+03	1.91E+02	2.17E-05	0.00E+00	1.52E-01
40	VE402EPT3 / VE402APT3	2.98E+01	5.49E-04	2.98E+01	8.97E+02	2.52E+02	1.15E+03	1.91E+02	2.69E-05	0.00E+00	1.51E-01
20	VE202E3 / VZ202E3	2.12E+01	1.98E-03	2.12E+01	6.36E+02	2.53E+02	8.89E+02	1.09E+02	2.30E-05	0.00E+00	1.10E-01
32	VE321EAV / VZ321EAV / BE321EAV	3.17E+01	1.70E-03	3.17E+01	9.77E+02	2.51E+02	1.23E+03	2.91E+02	2.83E-05	0.00E+00	1.60E-01
55	VE552VRF3	3.99E+01	1.15E-03	3.99E+01	1.16E+03	1.87E+02	1.35E+03	1.81E+02	2.05E-05	0.00E+00	2.09E-01
40	VE404AV56	2.97E+01	3.41E-03	2.97E+01	8.98E+02	3.41E+02	1.24E+03	2.63E+02	4.35E-05	0.00E+00	1.61E-01
65	VE652ESW	3.88E+01	2.31E-03	3.88E+01	1.17E+03	2.78E+02	1.45E+03	2.41E+02	3.58E-05	0.00E+00	1.96E-01
80	VE802ESW	4.59E+01	2.31E-03	4.59E+01	1.38E+03	2.95E+02	1.68E+03	3.01E+02	4.59E-05	0.00E+00	2.29E-01
50	VE502VRA5	4.06E+01	2.31E-03	4.06E+01	1.19E+03	2.45E+02	1.43E+03	1.51E+02	3.06E-05	0.00E+00	2.07E-01
40	VE402EAP5	3.16E+01	2.31E-03	3.16E+01	9.28E+02	2.60E+02	1.19E+03	1.21E+02	3.06E-05	0.00E+00	1.67E-01
50	VE502EAP5	3.73E+01	2.31E-03	3.73E+01	1.09E+03	2.51E+02	1.34E+03	1.41E+02	3.06E-05	0.00E+00	1.95E-01
50	VE504AVPW	3.89E+01	2.31E-03	3.89E+01	1.15E+03	2.62E+02	1.41E+03	1.63E+02	3.06E-05	0.00E+00	2.01E-01
50	VE502AVL2	4.10E+01	2.31E-03	4.10E+01	1.18E+03	2.01E+02	1.38E+03	1.21E+02	2.29E-05	0.00E+00	2.13E-01
55	VE554AVFW	4.70E+01	2.31E-03	4.70E+01	1.81E+03	2.83E+02	2.09E+03	1.86E+02	3.58E-05	0.00E+00	2.08E-01
65	VE654ABPW	4.22E+01	2.31E-03	4.22E+01	1.23E+03	3.10E+02	1.54E+03	1.41E+02	4.10E-05	0.00E+00	2.22E-01
40	VE402ESWC / VE402ESW	2.88E+01	2.31E-03	2.88E+01	8.96E+02	2.70E+02	1.17E+03	2.41E+02	3.55E-05	0.00E+00	1.48E-01
50	VE502ESWC / VE502ESW	3.21E+01	2.31E-03	3.21E+01	9.82E+02	2.64E+02	1.25E+03	2.41E+02	3.55E-05	0.00E+00	1.65E-01
40	VE402VWCH / VE402VWH4	2.54E+01	4.62E-03	2.54E+01	8.26E+02	2.98E+02	1.12E+03	3.10E+02	3.60E-05	0.00E+00	1.27E-01
50	VE502VWCH / VE502VWH4 / VE502VW35	2.78E+01	4.62E-03	2.78E+01	9.02E+02	2.90E+02	1.19E+03	3.38E+02	3.60E-05	0.00E+00	1.37E-01
50	VE502EATT	3.46E+01	2.86E-03	3.46E+01	1.05E+03	2.58E+02	1.31E+03	2.52E+02	2.95E-05	0.00E+00	1.73E-01
50	VE502VFA5	3.94E+01	1.70E-03	3.95E+01	1.15E+03	2.91E+02	1.44E+03	1.67E+02	3.70E-05	0.00E+00	2.07E-01
32	VE322EF2H	2.70E+01	5.60E-03	2.70E+01	8.19E+02	4.55E+02	1.27E+03	2.27E+02	5.66E-05	0.00E+00	1.39E-01
65	VE652AVWH	4.32E+01	3.41E-03	4.32E+01	1.26E+03	3.91E+02	1.65E+03	1.63E+02	4.91E-05	0.00E+00	2.27E-01
50	VE504AMTF	3.36E+01	2.31E-03	3.36E+01	1.02E+03	2.36E+02	1.26E+03	2.51E+02	2.58E-05	0.00E+00	1.70E-01
20	VE202LAV6	2.27E+01	4.50E-03	2.27E+01	6.69E+02	3.78E+02	1.05E+03	1.15E+02	4.12E-05	0.00E+00	1.22E-01
25	VE252LAV6	2.47E+01	4.50E-03	2.47E+01	7.25E+02	3.74E+02	1.10E+03	1.30E+02	4.12E-05	0.00E+00	1.32E-01



PARAMETERS DESCRIBING RESOURCE USE		PERE	PERM	PERT	PENRE	PENRM	PENRT	SM	RSF	NRSF	FW
Strength (MPa)	Mix Code	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	kg	MJ <sub>NCV</sub>	MJ <sub>NCV</sub>	m <sup>3</sup>
40	VE404AFPW	3.93E+01	2.31E-03	3.93E+01	1.58E+03	2.52E+02	1.83E+03	1.26E+02	3.52E-05	0.00E+00	1.72E-01
40	VE404AP2	3.30E+01	2.31E-03	3.30E+01	9.67E+02	2.33E+02	1.20E+03	1.01E+02	2.54E-05	0.00E+00	1.74E-01
100	VE1004EPW / VE1001EPW	4.95E+01	4.56E-03	4.95E+01	1.49E+03	4.21E+02	1.92E+03	3.44E+02	6.18E-05	0.00E+00	2.50E-01
25	VE251E2	2.43E+01	2.80E-03	2.43E+01	7.27E+02	3.10E+02	1.04E+03	1.43E+02	3.66E-05	0.00E+00	1.26E-01
25	VE252EF2	2.44E+01	2.80E-03	2.44E+01	7.42E+02	3.10E+02	1.05E+03	1.58E+02	3.19E-05	0.00E+00	1.27E-01
25	VE252EFP2 / VE252EP2	2.43E+01	2.80E-03	2.43E+01	7.39E+02	3.11E+02	1.05E+03	1.63E+02	3.19E-05	0.00E+00	1.27E-01
32	VE322EFP2 / VE322EP2	2.65E+01	2.80E-03	2.65E+01	8.18E+02	3.05E+02	1.12E+03	2.08E+02	3.19E-05	0.00E+00	1.35E-01
32	VE321E5KC	2.38E+01	1.15E-03	2.38E+01	7.33E+02	1.77E+02	9.11E+02	1.66E+02	1.23E-05	0.00E+00	1.24E-01
32	VE321EK6	2.76E+01	1.15E-03	2.76E+01	8.12E+02	1.74E+02	9.86E+02	1.01E+02	1.23E-05	0.00E+00	1.47E-01
32	VE321ESPR / BE321ESPR	2.88E+01	2.86E-03	2.88E+01	8.64E+02	2.56E+02	1.12E+03	1.52E+02	2.90E-05	0.00E+00	1.50E-01
40	VE401ESPR / BE401ESPR	3.16E+01	2.86E-03	3.16E+01	9.43E+02	2.53E+02	1.20E+03	1.62E+02	2.67E-05	0.00E+00	1.64E-01
20	VE201ECOR / BE201ECOR	2.29E+01	2.31E-03	2.29E+01	6.95E+02	2.32E+02	9.27E+02	1.11E+02	2.49E-05	0.00E+00	1.19E-01
25	VE251ECOR / BE251ECOR	2.53E+01	2.31E-03	2.53E+01	7.69E+02	2.42E+02	1.01E+03	1.36E+02	2.75E-05	0.00E+00	1.31E-01
32	VE321ECOR / BE321ECOR	2.75E+01	2.31E-03	2.75E+01	8.48E+02	2.49E+02	1.10E+03	1.91E+02	2.54E-05	0.00E+00	1.41E-01
32	VE322E5F2	2.64E+01	3.41E-03	2.64E+01	8.13E+02	2.89E+02	1.10E+03	1.98E+02	2.83E-05	0.00E+00	1.34E-01
32	VE322E5T	3.00E+01	3.41E-03	3.00E+01	8.72E+02	2.89E+02	1.16E+03	9.30E+01	3.07E-05	0.00E+00	1.55E-01
32	VE322E659	2.62E+01	4.50E-03	2.62E+01	7.99E+02	3.52E+02	1.15E+03	1.95E+02	3.85E-05	0.00E+00	1.35E-01
32	VE322EAM2	1.95E+01	8.24E-04	1.95E+01	6.64E+02	2.63E+02	9.26E+02	2.91E+02	2.49E-05	0.00E+00	9.55E-02
32	VE322EF2	2.72E+01	2.80E-03	2.72E+01	8.24E+02	3.20E+02	1.14E+03	1.83E+02	3.69E-05	0.00E+00	1.41E-01
40	VE402APW / VZ402APW	3.51E+01	1.70E-03	3.51E+01	1.07E+03	2.83E+02	1.35E+03	2.41E+02	3.44E-05	0.00E+00	1.77E-01
40	VE402E4T	3.42E+01	2.25E-03	3.42E+01	9.92E+02	2.69E+02	1.26E+03	1.12E+02	3.05E-05	0.00E+00	1.75E-01
40	VE402E9F2 / VE402E9F3	3.34E+01	3.35E-03	3.34E+01	9.71E+02	3.24E+02	1.30E+03	1.44E+02	3.82E-05	0.00E+00	1.74E-01
65	VE652EAP5	3.92E+01	2.25E-03	3.92E+01	1.17E+03	3.08E+02	1.48E+03	2.52E+02	3.84E-05	0.00E+00	1.98E-01
80	VE802EAPW	4.71E+01	2.25E-03	4.71E+01	1.42E+03	3.86E+02	1.81E+03	3.22E+02	4.88E-05	0.00E+00	2.38E-01
65	VE652VWCH / VE652VWH4	3.82E+01	3.46E-03	3.82E+01	1.19E+03	2.75E+02	1.47E+03	3.10E+02	3.33E-05	0.00E+00	1.89E-01
50	VE501A520	4.18E+01	1.70E-03	4.18E+01	1.20E+03	2.80E+02	1.48E+03	1.11E+02	3.44E-05	0.00E+00	2.17E-01
60	VE602AVP5	3.90E+01	2.25E-03	3.90E+01	1.16E+03	3.13E+02	1.47E+03	2.22E+02	4.09E-05	0.00E+00	1.99E-01

Waste categories and output flows - 1m<sup>3</sup> of ViroDecs™ ready-mix concrete

WASTE CATEGORIES AND OUTPUT FLOWS		HWD	NHWD	RWD	CFR	MFR	MFEE	EE - e	EE - t
Strength (MPa)	Mix Code	kg	kg	kg	kg	kg	kg	MJ	MJ
32	BE324XN	1.53E+02	1.52E+01	8.31E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE401EVMW	1.26E+02	8.16E+00	1.14E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE501EVMW	1.27E+02	8.70E+00	1.20E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
55	VE552EVR3	8.58E+01	8.99E+00	1.12E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
20	VE202E / BE202E / VZ202E / BZ202E	1.51E+02	1.35E+01	7.86E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
20	VE202E56	1.51E+02	1.36E+01	7.86E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
20	VE202EF2	2.24E+02	1.63E+01	1.04E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
25	VE251EKC / VE257EKC / VZ251EKC	1.07E+01	6.32E+00	5.56E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
25	VE252E / BE252E / VZ252E / BZ252E	1.51E+02	1.39E+01	7.92E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
25	VE252E56	1.51E+02	1.41E+01	7.92E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
25	VE252EF2	1.98E+02	1.66E+01	1.04E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE321EKC / VE327EKC	1.38E+01	7.11E+00	6.38E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE322E / BE322E / VZ322E / BZ322E / VE324E	1.69E+02	1.54E+01	8.82E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE322E56	1.53E+02	1.46E+01	8.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE322EF2	2.26E+02	1.73E+01	1.06E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE322P	1.85E+02	1.41E+01	8.11E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE401EAP	2.56E+02	1.70E+01	9.41E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE322EH2	1.09E+02	1.12E+01	5.20E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE402E / BE402E / VZ402E / BZ402E / VE404E	1.54E+02	1.53E+01	8.14E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE402E56	1.54E+02	1.54E+01	8.14E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE501EAP	2.40E+02	1.74E+01	8.59E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
25	VE251E56 / VZ251E56	2.11E+02	1.84E+01	1.21E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE502E / VZ502E / VE502E2	1.84E+02	1.65E+01	8.37E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE502E56	1.84E+02	1.68E+01	8.41E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
65	VE651EAV / VE654EAV / VE652EAV	2.37E+02	1.66E+01	7.85E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
80	VE801EAV / VE804EAV / VE802EAV	2.81E+02	1.84E+01	8.27E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE402EVR2 / BE402EV2	1.67E+02	1.46E+01	7.40E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE502EVR2	1.68E+02	1.54E+01	7.51E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

WASTE CATEGORIES AND OUTPUT FLOWS		HWD	NHWD	RWD	CFR	MFR	MFEF	EE - e	EE - t
Strength (MPa)	Mix Code	kg	kg	kg	kg	kg	kg	MJ	MJ
40	VE402EAP / VZ402EAP	2.27E+02	1.63E+01	8.53E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE401EAV / VE404EAV / VZ404EAV / BE401EAV / BZ401EAV / VE402EAV	2.21E+02	1.54E+01	7.73E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE501EAV / VE504EAV / BE501EAV / VE502EAV / VE504EAVX	2.21E+02	1.59E+01	7.73E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
55	VE552EVR3	8.58E+01	8.99E+00	1.12E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE322E5 / VZ322E5	1.92E+02	1.44E+01	8.10E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE402E5 / VZ402E5	2.08E+02	1.51E+01	8.23E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE502E5	2.23E+02	1.63E+01	8.47E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE321EK6	1.39E+01	7.10E+00	6.39E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
25	VE251E2	1.79E+02	1.42E+01	8.04E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
25	VE252EF2	1.79E+02	1.42E+01	8.04E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE322EF2	1.80E+02	1.48E+01	8.11E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE402EF2 / VZ402EF2	2.43E+02	1.93E+01	1.18E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE401E56	2.19E+02	1.93E+01	1.20E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE501E56	2.21E+02	2.04E+01	1.20E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE401EAPF / VZ401EAPF	3.17E+02	2.04E+01	1.20E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE322EPT2	1.37E+02	1.16E+01	5.29E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE404EWC	1.10E+02	8.84E+00	2.11E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE402ESW	1.09E+02	8.84E+00	2.11E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE502ESW	1.14E+02	9.37E+00	2.13E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE402ESW7	1.02E+02	8.16E+00	2.09E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE502ESW7	9.01E+01	8.57E+00	2.05E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE401E / BE401E	1.45E+02	1.36E+01	6.86E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE401E56	1.45E+02	1.42E+01	6.86E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE504EWC	9.41E+01	9.43E+00	2.07E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
65	VE654EWC	1.09E+02	1.06E+01	2.11E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE401EVBW	1.10E+02	8.44E+00	2.11E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE501EVBW	1.16E+02	9.03E+00	2.13E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE401VWCH	8.48E+01	8.11E+00	2.04E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE501VWCH	7.86E+01	8.51E+00	2.02E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

WASTE CATEGORIES AND OUTPUT FLOWS		HWD	NHWD	RWD	CFR	MFR	MFEF	EE - e	EE - t
Strength (MPa)	Mix Code	kg	kg	kg	kg	kg	kg	MJ	MJ
50	VE502EVR5	1.10E+02	1.12E+01	3.66E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
65	VE652E5	1.20E+02	1.19E+01	3.69E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
65	VE651EWC	1.09E+02	1.06E+01	2.11E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE501E	6.96E+01	1.13E+01	3.70E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE402EPT1 / VE402APT1	7.54E+01	8.61E+00	1.77E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE402EPT2 / VE402APT2	8.85E+01	8.64E+00	1.81E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE402EPT3 / VE402APT3	1.15E+02	8.67E+00	1.88E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
20	VE202E3 / VZ202E3	8.84E+01	9.66E+00	4.37E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE321EAV / VZ321EAV / BE321EAV	1.08E+02	1.10E+01	3.65E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
55	VE552VRF3	7.10E+01	1.09E+01	2.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE404AV56	1.81E+02	1.47E+01	7.20E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
65	VE652ESW	1.45E+02	1.27E+01	4.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
80	VE802ESW	1.76E+02	1.42E+01	4.09E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE502VRA5	1.19E+02	1.30E+01	3.92E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE402EAP5	1.19E+02	1.14E+01	3.92E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE502EAP5	1.19E+02	1.25E+01	3.92E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE504AVPW	1.19E+02	1.27E+01	3.92E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE502AVL2	7.97E+01	1.30E+01	3.81E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
55	VE554AVFW	1.45E+02	1.32E+01	4.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
65	VE654ABPW	1.71E+02	1.35E+01	4.07E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE402ESWC / VE402ESW	1.24E+02	1.08E+01	3.94E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE502ESWC / VE502ESW	1.24E+02	1.15E+01	3.94E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE402VWCH / VE402VWH4	1.49E+02	1.41E+01	7.59E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE502VWCH / VE502VWH4 / VE502VW35	1.49E+02	1.45E+01	7.59E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE502EATT	1.21E+02	1.34E+01	5.48E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE502VFA5	1.48E+02	1.27E+01	3.77E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE322EF2H	2.52E+02	2.05E+01	1.36E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
65	VE652AVWH	2.29E+02	1.71E+01	7.33E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE504AMTF	1.14E+02	1.17E+01	3.90E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
20	VE202LAV6	1.87E+02	1.63E+01	1.03E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

WASTE CATEGORIES AND OUTPUT FLOWS		HWD	NHWD	RWD	CFR	MFR	MFEF	EE - e	EE - t
Strength (MPa)	Mix Code	kg	kg	kg	kg	kg	kg	MJ	MJ
25	VE252LAV6	1.87E+02	1.67E+01	1.03E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE404AFPW	1.03E+02	1.16E+01	3.89E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE404AP2	9.27E+01	1.15E+01	3.85E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
100	VE1004EPW / VE1001EPW	2.75E+02	2.10E+01	9.26E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
25	VE251E2	1.32E+02	1.28E+01	6.83E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
25	VE252EF2	1.30E+02	1.29E+01	6.82E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
25	VE252EFP2 / VE252EP2	1.30E+02	1.28E+01	6.82E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE322EFP2 / VE322EP2	1.30E+02	1.32E+01	6.82E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE321E5KC	2.41E+01	7.66E+00	1.87E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE321EK6	2.41E+01	8.40E+00	1.87E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE321ESPR / BE321ESPR	9.80E+01	1.27E+01	5.42E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE401ESPR / BE401ESPR	9.79E+01	1.34E+01	5.42E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
20	VE201ECOR / BE201ECOR	6.92E+01	9.44E+00	3.79E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
25	VE251ECOR / BE251ECOR	8.23E+01	9.95E+00	3.82E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE321ECOR / BE321ECOR	9.27E+01	1.04E+01	3.85E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE322E5F2	1.24E+02	1.35E+01	7.04E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE322E5T	1.27E+02	1.42E+01	7.05E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE322E659	1.63E+02	1.69E+01	1.03E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE322EAM2	1.04E+02	7.54E+00	2.63E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
32	VE322EF2	1.45E+02	1.35E+01	6.86E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE402APW / VZ402APW	1.35E+02	1.17E+01	3.73E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE402E4T	1.14E+02	1.30E+01	5.22E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
40	VE402E9F2 / VE402E9F3	1.50E+02	1.63E+01	8.43E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
65	VE652EAP5	1.64E+02	1.42E+01	5.36E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
80	VE802EAPW	2.16E+02	1.60E+01	5.51E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
65	VE652VWCH / VE652VWH4	1.34E+02	1.45E+01	5.75E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
50	VE501A520	1.35E+02	1.30E+01	3.73E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
60	VE602AVP5	1.66E+02	1.41E+01	5.37E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

Additional indicators 1m<sup>3</sup> of ViroDecs™ ready-mix concrete

ADDITIONAL ENVIRONMENTAL IMPACT INDICATORS		PM	IRP	ETP-fw	HTP-c	HTP-nc	SQP
Strength (MPa)	Mix Code	disease incidence	kBq U-235 eq	CTUe	CTUh	CTUh	dimensionless
32	BE324XN	7.02E-06	1.44E+01	1.67E+03	3.32E-08	1.62E-06	2.35E+02
40	VE401EVMW	7.42E-06	2.50E+02	1.59E+03	5.66E-08	2.03E-06	2.35E+02
50	VE501EVMW	8.04E-06	2.50E+02	1.77E+03	6.00E-08	2.21E-06	2.57E+02
55	VE552EVR3	8.50E-06	1.55E+02	1.86E+03	5.23E-08	2.19E-06	2.78E+02
20	VE202E / BE202E / VZ202E / BZ202E	5.58E-06	1.59E+01	1.32E+03	2.64E-08	1.25E-06	1.83E+02
20	VE202E56	5.72E-06	1.59E+01	1.37E+03	2.73E-08	1.30E-06	1.88E+02
20	VE202EF2	5.71E-06	6.91E+01	1.31E+03	3.19E-08	1.37E-06	1.84E+02
25	VE251EKC / VE257EKC / VZ251EKC	6.13E-06	1.59E+01	1.49E+03	2.94E-08	1.41E-06	2.02E+02
25	VE252E / BE252E / VZ252E / BZ252E	5.96E-06	1.61E+01	1.40E+03	2.81E-08	1.34E-06	1.97E+02
25	VE252E56	6.18E-06	1.61E+01	1.48E+03	2.96E-08	1.42E-06	2.04E+02
25	VE252EF2	6.05E-06	1.73E+01	1.41E+03	2.84E-08	1.35E-06	2.00E+02
32	VE321EKC / VE327EKC	6.95E-06	2.30E+01	1.68E+03	3.40E-08	1.62E-06	2.31E+02
32	VE322E / BE322E / VZ322E / BZ322E / VE324E	6.49E-06	2.16E+01	1.51E+03	3.09E-08	1.46E-06	2.15E+02
32	VE322E56	6.67E-06	2.16E+01	1.59E+03	3.23E-08	1.53E-06	2.22E+02
32	VE322EF2	6.75E-06	7.34E+01	1.55E+03	3.70E-08	1.61E-06	2.22E+02
32	VE322P	5.92E-06	7.77E+01	1.31E+03	3.30E-08	1.43E-06	1.92E+02
40	VE401EAP	7.84E-06	1.81E+02	1.84E+03	5.33E-08	2.16E-06	2.54E+02
32	VE322EH2	5.98E-06	6.62E+01	1.35E+03	3.23E-08	1.41E-06	1.94E+02
40	VE402E / BE402E / VZ402E / BZ402E / VE404E	7.22E-06	2.16E+01	1.67E+03	3.42E-08	1.63E-06	2.42E+02
40	VE402E56	7.40E-06	2.16E+01	1.76E+03	3.58E-08	1.71E-06	2.48E+02
50	VE501EAP	9.58E-06	1.81E+02	2.24E+03	6.15E-08	2.60E-06	3.14E+02
25	VE251E56 / VZ251E56	6.13E-06	1.44E+01	1.48E+03	2.91E-08	1.40E-06	2.03E+02
50	VE502E / VZ502E / VE502E2	8.31E-06	8.06E+01	1.87E+03	4.48E-08	1.99E-06	2.78E+02
50	VE502E56	8.74E-06	8.06E+01	2.05E+03	4.78E-08	2.14E-06	2.93E+02
65	VE651EAV / VE654EAV / VE652EAV	9.37E-06	2.17E+02	2.09E+03	6.31E-08	2.50E-06	3.06E+02
80	VE801EAV / VE804EAV / VE802EAV	1.10E-05	3.02E+02	2.42E+03	7.89E-08	3.04E-06	3.61E+02
40	VE402EVR2 / BE402EV2	7.21E-06	8.06E+01	1.60E+03	3.93E-08	1.70E-06	2.38E+02
50	VE502EVR2	7.98E-06	8.06E+01	1.76E+03	4.28E-08	1.88E-06	2.66E+02

ADDITIONAL ENVIRONMENTAL IMPACT INDICATORS		PM	IRP	ETP-fw	HTP-c	HTP-nc	SQP
Strength (MPa)	Mix Code	disease incidence	kBq U-235 eq	CTUe	CTUh	CTUh	dimensionless
40	VE402EAP / VZ402EAP	8.18E-06	1.55E+02	1.92E+03	5.24E-08	2.19E-06	2.67E+02
40	VE401EAV / VE404EAV / VZ404EAV / BE401EAV / BZ401EAV / VE402EAV	7.97E-06	1.84E+02	1.77E+03	5.32E-08	2.10E-06	2.60E+02
50	VE501EAV / VE504EAV / BE501EAV / VE502EAV / VE504EAVX	8.57E-06	1.84E+02	1.91E+03	5.60E-08	2.24E-06	2.80E+02
55	VE552EVR3	8.50E-06	1.55E+02	1.86E+03	5.23E-08	2.19E-06	2.78E+02
32	VE322E5 / VZ322E5	6.38E-06	9.93E+01	1.45E+03	3.77E-08	1.57E-06	2.06E+02
40	VE402E5 / VZ402E5	7.04E-06	1.32E+02	1.58E+03	4.38E-08	1.77E-06	2.28E+02
50	VE502E5	8.06E-06	1.58E+02	1.77E+03	5.08E-08	2.05E-06	2.64E+02
32	VE321EK6	6.94E-06	2.31E+01	1.68E+03	3.40E-08	1.62E-06	2.31E+02
25	VE251E2	6.23E-06	7.34E+01	1.44E+03	3.47E-08	1.49E-06	2.02E+02
25	VE252EF2	6.15E-06	7.34E+01	1.42E+03	3.43E-08	1.47E-06	2.00E+02
32	VE322EF2	6.75E-06	7.34E+01	1.55E+03	3.70E-08	1.61E-06	2.21E+02
40	VE402EF2 / VZ402EF2	7.52E-06	8.80E+01	1.71E+03	4.20E-08	1.82E-06	2.49E+02
40	VE401E56	7.27E-06	7.31E+01	1.71E+03	4.02E-08	1.76E-06	2.41E+02
50	VE501E56	8.63E-06	7.88E+01	2.03E+03	4.72E-08	2.10E-06	2.90E+02
40	VE401EAPF / VZ401EAPF	7.84E-06	2.36E+02	1.82E+03	5.87E-08	2.21E-06	2.52E+02
32	VE322EPT2	6.56E-06	1.25E+02	1.46E+03	4.09E-08	1.65E-06	2.11E+02
40	VE404EWC	7.21E-06	2.01E+02	1.61E+03	5.15E-08	1.92E-06	2.31E+02
40	VE402ESW	7.21E-06	1.99E+02	1.61E+03	5.12E-08	1.92E-06	2.31E+02
50	VE502ESW	7.85E-06	2.09E+02	1.75E+03	5.52E-08	2.10E-06	2.53E+02
40	VE402ESW7	6.26E-06	1.80E+02	1.35E+03	4.43E-08	1.65E-06	1.99E+02
50	VE502ESW7	6.67E-06	1.57E+02	1.44E+03	4.37E-08	1.69E-06	2.15E+02
40	VE401E / BE401E	6.92E-06	8.06E+01	1.59E+03	3.86E-08	1.66E-06	2.28E+02
40	VE401E56	7.58E-06	8.06E+01	1.79E+03	4.24E-08	1.86E-06	2.51E+02
50	VE504EWC	7.91E-06	1.68E+02	1.78E+03	5.15E-08	2.04E-06	2.58E+02
65	VE654EWC	9.33E-06	2.00E+02	2.09E+03	6.12E-08	2.44E-06	3.06E+02
40	VE401EVBW	6.79E-06	2.01E+02	1.56E+03	5.01E-08	1.85E-06	2.17E+02
50	VE501EVBW	7.46E-06	2.13E+02	1.68E+03	5.40E-08	2.02E-06	2.39E+02
40	VE401VWCH	6.19E-06	1.46E+02	1.35E+03	4.07E-08	1.57E-06	1.99E+02
50	VE501VWCH	6.61E-06	1.33E+02	1.43E+03	4.11E-08	1.64E-06	2.15E+02

ADDITIONAL ENVIRONMENTAL IMPACT INDICATORS		PM	IRP	ETP-fw	HTP-c	HTP-nc	SQP
Strength (MPa)	Mix Code	disease incidence	kBq U-235 eq	CTUe	CTUh	CTUh	dimensionless
50	VE502EVR5	7.91E-06	1.33E+02	1.77E+03	4.78E-08	1.99E-06	2.60E+02
65	VE652E5	8.63E-06	1.55E+02	1.89E+03	5.29E-08	2.18E-06	2.85E+02
65	VE651EWC	9.31E-06	2.00E+02	2.09E+03	6.12E-08	2.44E-06	3.06E+02
50	VE501E	7.93E-06	4.80E+01	1.81E+03	4.00E-08	1.85E-06	2.66E+02
40	VE402EPT1 / VE402APT1	7.29E-06	9.21E+01	1.65E+03	4.13E-08	1.79E-06	2.40E+02
40	VE402EPT2 / VE402APT2	7.34E-06	1.18E+02	1.65E+03	4.40E-08	1.85E-06	2.40E+02
40	VE402EPT3 / VE402APT3	7.40E-06	1.70E+02	1.65E+03	4.93E-08	1.96E-06	2.39E+02
20	VE202E3 / VZ202E3	5.38E-06	5.49E+01	1.26E+03	2.92E-08	1.28E-06	1.73E+02
32	VE321EAV / VZ321EAV / BE321EAV	7.68E-06	1.29E+02	1.73E+03	4.65E-08	1.93E-06	2.52E+02
55	VE552VRF3	9.83E-06	1.18E+02	2.31E+03	5.67E-08	2.50E-06	3.29E+02
40	VE404AV56	7.78E-06	1.84E+02	1.83E+03	5.35E-08	2.11E-06	2.53E+02
65	VE652ESW	9.48E-06	2.36E+02	2.10E+03	6.53E-08	2.56E-06	3.08E+02
80	VE802ESW	1.11E-05	3.02E+02	2.43E+03	7.91E-08	3.05E-06	3.62E+02
50	VE502VRA5	9.93E-06	1.84E+02	2.26E+03	6.30E-08	2.60E-06	3.27E+02
40	VE402EAP5	8.14E-06	1.84E+02	1.88E+03	5.50E-08	2.18E-06	2.63E+02
50	VE502EAP5	9.39E-06	1.84E+02	2.18E+03	6.09E-08	2.50E-06	3.08E+02
50	VE504AVPW	9.61E-06	1.84E+02	2.22E+03	6.15E-08	2.54E-06	3.15E+02
50	VE502AVL2	1.00E-05	1.06E+02	2.35E+03	5.64E-08	2.51E-06	3.35E+02
55	VE554AVFW	1.00E-05	2.36E+02	2.27E+03	6.82E-08	2.72E-06	3.27E+02
65	VE654ABPW	1.07E-05	2.88E+02	2.47E+03	7.73E-08	3.03E-06	3.48E+02
40	VE402ESWC / VE402ESW	7.25E-06	1.99E+02	1.62E+03	5.13E-08	1.93E-06	2.32E+02
50	VE502ESWC / VE502ESW	7.99E-06	1.99E+02	1.80E+03	5.50E-08	2.12E-06	2.59E+02
40	VE402VWCH / VE402VWH4	6.31E-06	1.84E+02	1.36E+03	4.49E-08	1.66E-06	2.00E+02
50	VE502VWCH / VE502VWH4 / VE502VW35	6.75E-06	1.84E+02	1.44E+03	4.67E-08	1.76E-06	2.16E+02
50	VE502EATT	8.27E-06	1.25E+02	1.85E+03	4.88E-08	2.07E-06	2.73E+02
50	VE502VFA5	9.94E-06	2.10E+02	2.30E+03	6.61E-08	2.68E-06	3.26E+02
32	VE322EF2H	6.63E-06	7.34E+01	1.51E+03	3.63E-08	1.58E-06	2.17E+02
65	VE652AVWH	1.09E-05	2.73E+02	2.53E+03	7.68E-08	3.08E-06	3.56E+02
50	VE504AMTF	8.23E-06	1.70E+02	1.84E+03	5.30E-08	2.16E-06	2.69E+02
20	VE202LAV6	5.89E-06	6.62E+01	1.40E+03	3.29E-08	1.43E-06	1.91E+02



ADDITIONAL ENVIRONMENTAL IMPACT INDICATORS		PM	IRP	ETP-fw	HTP-c	HTP-nc	SQP
Strength (MPa)	Mix Code	disease incidence	kBq U-235 eq	CTUe	CTUh	CTUh	dimensionless
25	VE252LAV6	6.34E-06	6.62E+01	1.50E+03	3.50E-08	1.54E-06	2.07E+02
40	VE404AFPW	8.26E-06	1.61E+02	1.94E+03	5.32E-08	2.13E-06	2.70E+02
40	VE404AP2	8.33E-06	1.32E+02	1.97E+03	5.10E-08	2.15E-06	2.74E+02
100	VE1004EPW / VE1001EPW	1.20E-05	3.40E+02	2.64E+03	8.70E-08	3.37E-06	3.93E+02
25	VE251E2	6.04E-06	5.05E+01	1.40E+03	3.19E-08	1.42E-06	1.97E+02
25	VE252EF2	6.08E-06	4.75E+01	1.42E+03	3.14E-08	1.41E-06	1.99E+02
25	VE252EFP2 / VE252EP2	6.02E-06	4.75E+01	1.42E+03	3.12E-08	1.40E-06	1.97E+02
32	VE322EFP2 / VE322EP2	6.38E-06	4.75E+01	1.46E+03	3.25E-08	1.47E-06	2.10E+02
32	VE321E5KC	5.90E-06	2.31E+01	1.40E+03	2.84E-08	1.33E-06	1.94E+02
32	VE321EK6	6.93E-06	2.31E+01	1.68E+03	3.39E-08	1.62E-06	2.30E+02
32	VE321ESPR / BE321ESPR	7.13E-06	7.64E+01	1.68E+03	3.97E-08	1.75E-06	2.35E+02
40	VE401ESPR / BE401ESPR	7.76E-06	8.06E+01	1.82E+03	4.28E-08	1.89E-06	2.57E+02
20	VE201ECOR / BE201ECOR	5.82E-06	8.35E+01	1.37E+03	3.42E-08	1.42E-06	1.87E+02
25	VE251ECOR / BE251ECOR	6.38E-06	1.09E+02	1.49E+03	3.93E-08	1.61E-06	2.06E+02
32	VE321ECOR / BE321ECOR	6.84E-06	1.32E+02	1.56E+03	4.30E-08	1.73E-06	2.21E+02
32	VE322E5F2	6.42E-06	6.62E+01	1.46E+03	3.44E-08	1.52E-06	2.10E+02
32	VE322E5T	7.42E-06	7.34E+01	1.73E+03	4.06E-08	1.80E-06	2.44E+02
32	VE322E659	6.37E-06	2.16E+01	1.49E+03	3.02E-08	1.43E-06	2.11E+02
32	VE322EAM2	4.76E-06	1.18E+02	9.88E+02	3.07E-08	1.16E-06	1.50E+02
32	VE322EF2	6.73E-06	8.06E+01	1.55E+03	3.77E-08	1.62E-06	2.21E+02
40	VE402APW / VZ402APW	8.55E-06	1.84E+02	1.91E+03	5.59E-08	2.24E-06	2.79E+02
40	VE402E4T	8.31E-06	8.06E+01	1.93E+03	4.55E-08	2.02E-06	2.76E+02
40	VE402E9F2 / VE402E9F3	8.10E-06	2.88E+01	1.92E+03	3.96E-08	1.89E-06	2.72E+02
65	VE652EAP5	9.48E-06	1.77E+02	2.13E+03	5.97E-08	2.47E-06	3.12E+02
80	VE802EAPW	1.15E-05	2.81E+02	2.53E+03	7.86E-08	3.13E-06	3.74E+02
65	VE652VWCH / VE652VWH4	9.02E-06	1.84E+02	1.97E+03	5.73E-08	2.32E-06	2.96E+02
50	VE501A520	1.04E-05	1.84E+02	2.41E+03	6.56E-08	2.74E-06	3.42E+02
60	VE602AVP5	9.51E-06	1.84E+02	2.15E+03	6.07E-08	2.49E-06	3.13E+02

# Other life cycle stages not included in this EPD

While the LCA study and EPD only consider the cradle to gate environmental impacts of Holcim's ready-mix concrete, practitioners using the EPD for the purpose of whole-of-life building studies or the functional comparison of different building products on a whole-of-life basis will consider concrete's other life cycle stages. Some of the environmental impacts of benefits associated with other life cycle stages not included in this EPD are described in the following sections.

## Lifetime absorption of CO<sub>2</sub>

Carbonation is a natural process whereby concrete absorbs carbon dioxide (CO<sub>2</sub>) from the atmosphere through a chemical reaction between the CO<sub>2</sub> in the ambient air and hydration products within the concrete (CaOH<sub>2</sub>). Ready-mix concrete can be subject to carbonation from the use stage onward (i.e. after construction and curing). From a life cycle impact accounting perspective, this process can also be referred to as 'reabsorption', since the CO<sub>2</sub> emitted during the cement manufacturing process can be partly offset by the lifetime absorption of CO<sub>2</sub>, therefore reducing the net CO<sub>2</sub> emissions associated with concrete over its lifetime.

The carbonisation process is a commonly known process in building design and is typically taken into consideration by engineers when specifying special-class concrete.

The total amount of CO<sub>2</sub> absorption during the life cycle of concrete is subject to a range of factors and varies over time. The calculation has been standardised in the British and European Standard BS EN 16757:2017 *Sustainability of construction works – Environmental Product Declarations – Product Category Rules for concrete and concrete elements*. It is recommended that practitioners make use of this standard when conducting whole-of-life building studies and if the building materials include substantial amounts of concrete. Please note that CO<sub>2</sub> absorption has not been considered in this EPD and is not reflected in the EPD results tables.

## End of life scenarios

BS EN 16757:2017 presents four end of life scenarios for concrete:

1. Disposal of concrete at a landfill site,
2. Reuse of recovered concrete elements in new construction works,
3. Use of concrete debris, e.g. In land restoration, or
4. Crushing/recycling of concrete:
  - a. Crushed concrete substitutes primary material without further processing, or
  - b. Substitution of natural aggregates in fresh concrete.

Scenarios 2, 3 and 4 can all result in benefits and loads outside the system boundary and thus should be considered in a whole-of-life building study or when comparing concrete products on a functional basis in line with BS EN 16757:2017.

# References

Australasian EPD Programme. (2017). Guidance on the use of INA in EPDs.

Australasian EPD Programme. (2018). Guidance on the use of background LCI data.

Australasian EPD Programme (2019) Instructions of the Australasian EPD Programme V3.01.

Australian Life Cycle Inventory Database Initiative (AusLCI). (2018). Guidelines for Data Development for an Australian Life Cycle Inventory Database, Data Standard.

British Standards Institution. (2019). Sustainability of construction works. Environmental product declarations. Core rules for the product category of construction products, BS EN 15804:2012+A2:2019. British Standards Institution.

British Standards Institution. (2017). Sustainability of construction works – Environmental product declarations – Product Category Rules for concrete and concrete elements, BS EN 16757:2017. British Standards Institution.

Ecoinvent Centre. (2019). Ecoinvent version 3 database. Zurich: ETH, Agroscope, EMPA, EPFL, PSI. Retrieved from [www.ecoinvent.org](http://www.ecoinvent.org).

EPD International. (2019). General Programme Instructions (GPI) for the International EPD System V3.01. Retrieved from [www.envirodec.com](http://www.envirodec.com).

EPD International. (2021). Product Category Rules for Construction Products, PCR2019:14 v1.11. Stockholm: EPD International.

ISO. (2006). Environmental labels and declarations – Type III environmental declarations – Principles and procedures, ISO 14025:2006. Geneva: International Organization for Standardization.

ISO. (2006). Environmental management – Life cycle assessment – Principles and framework, ISO 14040:2006. Geneva: International Organization for Standardization.

ISO. (2018). Environmental management. Life cycle assessment. Requirements and guidelines, ISO 14044:2006+A1:2018. Geneva: International Organization for Standardization.


AusLCI. (2018) AusLCI Database. Retrieved from AusLCI: [www.auslci.com.au/](http://www.auslci.com.au/)

Man Yu, Thomes Wiedmann, Robert Crawford, Catriona Tait, 'The Carbon Footprint of Australia's Construction Sector', Procedia Engineering, Volume 180, 2017, Pages 211-220, ISSN 1877-7058, (<http://www.sciencedirect.com/science/article/pii/S1877705817316879>)

# Programme-related information and verification

<b>Declaration Owner</b>	Holcim (Australia) Pty Ltd Level 7, 799 Pacific Highway Chatswood NSW 2067, Australia Web: <a href="http://www.holcim.com.au">www.holcim.com.au</a> Phone: +61 2 9412 6600	
<b>Regional Programme Operator</b>	EPD Australasia Limited 315a Hardy Street Nelson 7010, New Zealand Web: <a href="http://www.epd-australasia.com">www.epd-australasia.com</a> Email: <a href="mailto:info@epd-australasia.com">info@epd-australasia.com</a> Phone: +61 2 8005 8206	
<b>Programme Operator</b>	EPD International AB, Box 210 60, SE-100 31 Stockholm, Sweden, E-mail: <a href="mailto:info@environdec.com">info@environdec.com</a>	
<b>EPD Process Certified by</b>	Epsten Group Suite 2600, 101 Marietta St NW, Atlanta, Georgia 30303, USA Web: <a href="http://www.epstengroup.com">www.epstengroup.com</a>	
<b>EPD Registration Number</b>	[S-P-04657]	
<b>Valid From</b>	[12 January 2022]	
<b>Version</b>	[5.0]	
<b>Valid Until</b>	[12 January 2027]	
<b>Product category rules</b>	PCR 2019:14 Construction Products, Version 1.11, 2021-02-05	
<b>Product group classification</b>	UN CPC 54	
<b>Geographical Scope</b>	Australia	
<b>Reference Year for Data</b>	2017 Plant Data, [2024] Mix/Materials Data	

## CEN standard EN 15804:2012+A2:2019 served as the core PCR

<b>Product category rules</b>	PCR 2019:14 Construction Products, Version 1.11, 2019-02-05	
<b>PCR review was conducted by</b>	The Technical Committee of the International EPD® System. Chair: Massimo Marino. Contact via <a href="mailto:info@environdec.com">info@environdec.com</a>	
<b>Independent third-party verification of the declaration and data, according to ISO 14025:2006:</b>	<input checked="" type="checkbox"/> EPD process certification <input type="checkbox"/> EPD verification	
<b>EPD Process Certified by</b>	Epsten Group, Inc., Katherine McFeaters: Accredited by: A2LA, Certificate #3142.03	
<b>Procedure for follow-up of data during EPD validity involves third party verifier:</b>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	

## Programme-related information and verification:

The EPD owner has the sole ownership, liability, and responsibility for the EPD. EPDs within the same product category but from different programmes may not be comparable. EPDs of construction products may not be comparable if they do not comply with EN 15804.



**Contact your Holcim representative today for more information.**

**Customer Service Centre 131 188**

**Holcim (Australia) Pty Ltd  
Level 7, Tower B, 799 Pacific Highway  
Chatswood NSW 2067 Australia  
Phone 02 9412 6600  
Fax 02 9412 6601  
ABN 87 099 732 297**

**[www.holcim.com.au](http://www.holcim.com.au)**

This publication supersedes all previous literature on this subject. As the specifications and details contained in this publication may change, please check with Holcim Customer Service for confirmation of current issue. This publication provides general information only and is no substitute for professional technical engineering advice. Users must make their own determination as to the suitability of this information or any Holcim product for their specific circumstances. Holcim accepts no liability for any loss or damage resulting from their specific circumstances. Holcim accepts no liability for an loss or damage resulting from any reliance on the information provided in this publication. "Strength. Performance. Passion." and "ViroDecs" are trademarks of Holcim (Australia) Pty Ltd.

© [September 2022] Holcim (Australia) Pty Ltd ABN 87 732 297. All rights reserved.

This guide or any part of it may not be reproduced without prior written consent of Holcim.